WATE	R WE	LL RECORD	Form W	WC-5	Division of Water	r Resources App. No),	
1 LOCATION OF WATER WELL:		Fraction			Township No.	Range Number		
Cou	County: Sedawick		1/4 SW 1/4 NW		36	T 27 S	R 2 □E ØW	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) in								
from nearest town or intersection: If at owner's address, check here					Latitude: (in decimal degrees) Longitude: (in decimal degrees)			
12710 W. Grant Ct. Wichita, KS 67205					Elevation: (ill decilial degrees)			
					Datum: WGS 84	1, □ NAD 83, □	NAD 27	
2 WATER WELL OWNER: Comfort Homes					Collection Method:			
RR#, Street Address, Box #: 4313 N.119th St N City, State, ZIP Code : Maize KS 67101					☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City	, State, 2	Maize.	KS 67101		Est. Accuracy:			
3 LOCATE WELL								
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 120 ft.								
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1).45							
	N WELL'S STATIC WATER LEVEL 45							
	Pump test data: Well water wasft. after							
	1 NW - 1 - NB - 1							
w	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
SW SE Irrigation Industrial Domestic-lawn & garden Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes No								
s If yes, mo/day/yr sample was submitted								
mile Water well disinfected?								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casi	ng diame	ter .5 in. to .120	ft., Diameter	in. 1	o ft., D	iameter	. in. <u>to</u> ft.	
Casing height above land surface. 12. in., Weight 2.5. lbs./ft., Wall thickness or gauge NoSDR26.								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCRE	EN-PERI	FORATED INTERVALS:						
			From f	t. to	ft., From	ft. 1	to ft.	
•	-GRAV	EL PACK INTERVALS:						
(CD(TIT BALA	TEDIAL. Nost come	From f	[. [0	ita		ω π.	
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other								
What is the nearest source of possible contamination:								
] Septic ta		es 🗌 Pit privy 🔝 [Livestock p	ens 🔲 Insecticide	storage	er (specify below)	
	Sewer li			Fuel storage				
. L	Watertig	ht sewer lines	it Feedyard [Fertilizer st	orage	s well	***************************************	
FROM		n well South LITHOLOG	IC I OG	FROM			GGING INTERVALS	
0	3		IC LOG	PROM	TO LITTO. LC	od (cont.) of FLO	OULIO INTERVALS	
3	35	Topsoil Clav						
35	37	Fine Sand						
37	50	Clay						
50'	120	Shale						
		0.10.0				- "··· · · · · · · · · · · · · · · · · ·		
	<u> </u>		. •					
	1			<u> </u>		<u> </u>		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .9/.18/29.18 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 238. This Water Well Record was completed on (mo/day/year) 9/18/2015 under the business name of Premier Pump & Well Service, Inc. by (signature)								
under tl	e busine	ss name of Premier Pun	nd & vveil Service, in	Ç.	by (signature) V.V.			
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								