WATER WELL RECORD Form WWC-5 KSA 82a-1212 LOCATION OF WATER WELL: SECTION NUMBER TOWNSHIP NUMBER RANGE NUMBER SWSedgwick SE 1/4 1/4 26 Т 27 S 2WE/W Distance and direction from nearest town or city street address of well if located within city? 14602 W. Hayden Wichita, Kansas WATER WELL OWNER: **BLUE CUSTOM HOMES** Board of Agriculture, Division of Water Resource 106 S. Breezy Pointe Circle RR#,ST. ADDRESS,BOX #: CITY, STATE: Wichita, Kansas ZIP CODE Application Number: 4 DEPTH OF NEGGES WELL 116 LOCATE WELL'S LOCATION ELEVATION: WITH AN "X" IN SECTION BOX: Depth of groundwater Encountered ft. ft. ft 30 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr: WELL'S STATIC WATER LEVEL Pump test data: Well water was ft. after hours of pumping @ NW NE apm Est. Yield: Well water was ft. after hours of pumping @ gpm ₹ Bore Hole Diameter ft WELL WATER **WOL**SUSED AS: 11. Injection well 9. Dewatering 5. Public water supply 7. Lawn and garden only SW SE 1. Domestic 3. Feedlot 12. Other (Specify below) 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well 2. Irrigation ; If yes, what mo/day/yr was sample Was a chemical/bacteriological sample submitted to Department? NO submitted Was Water Well Disinfected? YES TYPE OF CASING USED: 9. Other (Specify below) CASING JOINTS: Threaded 5. Wrought Iron 7. Fiberglass 3. RPM (SR) 1. Steel Welded Clamped 6. Asbestos-Cement 8. Concrete tile 2. PVC 4. ABS Blank casing diameter ft., Dia. Dia. to in. to ft., in to ft Casing height hand surface: 36 in.. Weight: lbs. / ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: 11. Other (specify) N/A 7. PVC 1. Steel 3. Stainless Steel 5. Fiberglass 9. ABS 6. Concrete Tile 8. RMP (SR) 12. None used (open hole) 2 Brass 4. Galvanized 10. Asbestos-Cement SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3. Mill slot 7 Torch cut 9 Drilled holes 11. None ( open hole) 5. Gauzed wrapped 2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify) N/A SCREEN - PERFORATION INTERVAL From to ft., From ft. ft. to From ft., From to ft. **GRAVEL PACK INTERVALS:** to From ft.. From to ft. From to ft.. From ft ft. **GROUT MATERIALS:** Other bentonite hole plug 1. Neat cement 2. Cement Grout 3. Bentonite Grout Intervals: From 3 ft. 23 ft., From ft. to ft., From What is the nearest source of possible contamination: 10. Livestock pens 7. Pit privy 13. Insecticide storage 15. Oil well/Gas well 1. Septic tank 4. Lateral lines 16. Other (specify below) 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 2. Sewer lines 5. Cess Pool 12. Fertilizer storage 9. Feed yard 3. Watertight sewer line 6. Seepage pit How many feet? Direction from well? LITHOLOGIC LOG From From Τo LITHOLOGIC LOG U compacted clay 3 23 bentonite hole plug 116 chlorinated gravel

							L					
	Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and											
	was con	npleted on (	(mo/day/year)	11-15-16	and this record is	true to the	best of my k	nowled	lge and	belief.		
ı	Kansas \	Water Well	Contractor's License	No. 236	This water wel	record wa	s completed o	on (mo	/day/ye	ar) <b>1</b> 1	1/16/16	

under the business name of Harp Well and Pump Service

by (signature)

Todd S. Harp