	WATE	R WELL	RECO	RD F	orm W	WC-5 H	(SA 82a-1	212		
1 LOCATION OF WATER WELL:	FRACTION SECTION NUMBER TOWN						R TOWNS	ISHIP NUMBER RANGE NUMBER		
Land Sedgwick	NE	1/4 N	E 1/4	SE	1/4	29	l T	27 s	R	1W E/W
Distance and direction from nearest town or cit	y street address	of well if loca	ted within c	ity?					1	
1228 S Seville	Wichita,									
	N, Brad	11411040								
	8 s. Seville	.						Board of Agr	iculture, Division	of Water Resource
	hita, Kan					ZIP CODE:		Application Nur	nher	
			5 14/5/	12			EL ELVATION		ilber.	
3 LOCATE WELL'S LOCATION 4 WITH AN "X" IN SECTION BOX:	DEPTH OF	COMPLETE	D WELL:	12			ELEVATION			
<u> </u>	epth of groun	dwater Enco	untered:			ft.		ft.		ft.
	ELL'S STAT	IC WATER I	.EVEL	40	FT. BEL	OW LAND S	URFACE MEA	SURED ON mo/	day/yr: 12	2/13/16
NW - NE		Pump tes	t data:	Well wa	ter was		ft. after	hours	s of pumping (gpm
υ	Est. Yield:	g	pm	Well wa	ter was		ft. after	hours	s of pumping (gpm
₩ X E	Bore Hole Dia	meter	12 i	n.	to	120 f	t. and	in.	to	ft.
	ELL WATER	TO BE USI	ED AS:					9. Dewateri	na 11.	njection well
sw se	1. Domestic	3. Feed	ot 5.	Public wa	ter supply	7. Lawn	and garden o	nly	•	(Specify below)
	2. Irrigation	4. Indus	trial 6.	Oil field w	ater supp	ly 8. Airco	nditioning	10. Monitori	ng well	
Ŭ	Was a chemica	l/bacteriologic	al sample s	ubmitted to I	Department?		NO	•		yr was sample
s	ubmitted					Was	Water Well Dis	sinfected? (YES	NO
5 TYPE OF CASING USED:	5 Wi	ought Iron	7	Fiberglass	9. (Other (Specif	fy below) C	ASING JOINTS:	Glued	Threaded
1, Steel 3, RPM (S	SR)	_		•	QT.	DR-26			Welded	Clamped
2. PVC 4. ABS	6. As	bestos-Cem	ent 8.	Concrete t	ile SI)K-20				•
Blank casing diameter 5	in.	to 100	ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.
Casing height above land surface:	12	in.,	١٨	/eight:	2.35	lbs. / ft.	\/\/all	thickness or gaug	ne No. 1	14
TYPE OF SCREEN OR PERFORATION			•	veignt.	2.55	108.711.	vvaii	i illickiless or gau	ge NU∠	14
1. Steel 3. Stainless Steel	5. Fiber		7 F	PVC	9	ABS	11.	Other (specify)		
		crete Tile	_	RMP (SR)		Asbestos-Ce		None used (open	holo)	
2. Brass 4. Galvanized	o. Con	Jele Hie	0. 1	CIVIC (SIC)	10.	Aspesios-Ce	inent 12.	None used (open	noie)	
SCREEN OR PERFORATION OPENIN	IGS ARE:									
1. Continuous slot 3. Mill s	slot	5. Gauze	d wrappe	ed	7. T	orch cut	9. D	rilled holes	11. Non-	e (open hole)
2. Louvered shutter 4. Key	punched	6. Wire v	rapped		(8. s	aw cut	10. O	ther (specify)		
SOREM RESERVATION INTERVAL	_	1.0	Λ "		120		_			
SCREEN - PERFORATION INTERVAL	From	10	_	to	120	ft.,	From	ft.	to	ft.
	From		ft.	to		ft.,	From	ft.	to	ft.
GRAVEL PACK INTERVALS:	From	2	4 ft.	to	120	ft.,	From	ft.	to	ft.
	From		ft.	to)	ft.,	From	ft.	to	ft.
6 GROUT MATERIALS: 1 No.2						-				
0_ 1. 1464	t cement		Cement (3. Bentonit	е	Other bent	onite hole	plug
	ft.	to 24	ft.,	From	f	t. to	ft.,	From	ft.	to ft.
What is the nearest source of possible of the following source of the followin		i: 7. Pit p	rivv	•	0. Livesto	ck pens	13. Inse	cticide storage	15. Oil w	ell/Gas well
		-	age lago	\n	11. Fuel st	Orage	11 86-		16. Other	(specify below)
2. Sewer lines 5. Cess	Pool					_	14. Aba	ndon water well	,	(0,000)
3. Watertight sewer line 6. Seep	age pit	9. Fee c	yard		12. Fertiliz	er storage				
Direction from well? South						· · · · · · · · · · · · · · · · · · ·	How	many feet? 10		
From To	LITHOL	OGIC LC	G		From	То		LITHOLO	OGIC LOG	
0 3 topsoil					ļ		ļ			
3 28 clay										
28 51 fine sand					ļ	<u> </u>				
51 98 clay					1	1				
98 120 medium san	d				ļ					
						+	-			
							-			
							<u> </u>			
							ļ			
					 	+				
					ļ					
										
					 					
						4	1			
					<u></u>	. I	<u>l</u>			/# /** **********************************
					_					

7 Contractor's or Landowner's Certification: This water well was 1. Constructed 2. reconstructed or 3. plugged under my jurisdiction and was completed on (mo/day/year) 12/13/16 and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 12/14/16

under the business name of Harp Well and Pump Service

by (signature)

Todd S. Harp