		WATER	WELL F	RECORE	) Fo	orm W\	NC-5	KSA 82a	-1212					
1 LOCATION OF WATER WE	LL:	FRACTION				SEC	TION NUMBE	R TOW	1			RANGE NUMBER		
Sedgwick		SE 1/	<u> </u>		NW	1/4	s6	Т	27	S	R	2W	E/W	
Distance and direction from near 14601 W. One W			well if located ita, Kan	•										
2 WATER WELL OWN		E CUSTON			· ·									
RR#,ST. ADDRESS,BOX		. Breezy Po								Board of Ag	riculture, Divisi	on of Wat	ter Resource	
CITY, STA	TE: Wich	ita, Kansas	3			2	IP CODE:	67235	Αŗ	plication Nu	mber:			
3 LOCATE WELL'S LOCAT	ON 4 C	EPTH OF CO	MPLETED	WELL:	130	ft.		ELEVATION	ON:					
WITH AN X IN SECTION		th of groundwa	ter Encoun	ntered:		f	t.			ft.			ft.	
	WE	LL'S STATIC V	VATER LE	VEL 2	25	FT. BELO	OW LAND S	URFACE ME	EASURE	D ON mo	/day/yr:	3/11/1	17	
NWNE	<u></u>		Pump test of		Vell water			ft. afte			s of pumping	_	gpn	
w ₩		Est. Yield: ore Hole Diame	gpn tor 1	n V 12 in.	Vell wate	r was to	120 4	ft. afte t. and			s of pumping	-	gpm	
<del>-</del> "		ELL WATER TO				10	130	t. and		in.		to . Injecti	ft. on well	
swse		Domestic	3. Feedlot		olic wate	r supply	7. Lawn	and garden	only	. Dewater	9	-	cify below	
		irrigation	4. Industr				y 8. Airco	nditioning	10	. Monitori	ing well	, -	-	
s		as a chemical/bad mitted	cteriological s	sample submi	itted to De	partment?	YES Was	NO Water Well [			what mo/da	y/yr wa: NC		
5 TYPE OF CASING						0.0				JOINTS:	Glued		hread <b>e</b> d	
1. Steel	3. RPM (SR	5. Wroug	jht Iron	7. Fibe	erglass		ther (Specif R-26	y below)	CASING	JOIN 13.	Welded		Clamped	
2. PVC	4. ABS	6. Asbes	tos-Cemen	t 8. Con	crete tile	, אט	K-20						J.G.III.	
Blank casing diameter	5 i	in. to	45 f	t., D	ia.	in.	to	ft.,	Dia.		in. 1	to	ft.	
Casing height above land	surface:	12 in.,		Weigl	ht: <b>2</b>	2.35	bs. / ft.	W	all thickn	ess or gau	ge No.	.214		
TYPE OF SCREEN OR P				7.51/0				4.	4 04	(16 A				
1	1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)													
			3 1 NO	O. KIVIP	(SK)	10. /	Aspestos-Ce	ement 1	z. None (	isea (open	i noie)			
SCREEN OR PERFORAT  1. Continuous slot	ION OPENING 3. <b>Mill slo</b>		. Gauzed	wrannad		7 <b>T</b> a	orch cut	٥	Drilled I	nolon.	11 No	no / on	en hole)	
2. Louvered shutter				• • •							11.140	ne ( ope	en noie,	
	4. Key pu	nched c	i. Wire wra	••		_	w cut	10.	Other (s	pecity)				
SCREEN - PERFORATION	N INTERVAL	From	45	ft.	to	130	ft.,	From		ft.	t	0	ft.	
		From	24	ft.	to	4.00	ft.,	From		ft.	t	0	ft.	
GRAVEL PACK IN	NTERVALS:	From	24	ft.	to	130	ft.,	From		ft.	t	0	ft.	
		From		ft.	to		ft.,	From		ft.	t	0	ft.	
6 GROUT MATERIALS:				ment Grou			3. Bentonite	8	Oth	er bent	tonite hol	e plug		
Grout Intervals: Fr What is the nearest source	om 4 of possible cor	ft. to ntamination:	o <b>24</b>	ft., F	From	ft.		ft	., F	rom	ft.	to	ft.	
1. Septic tank 4. Lateral lines 7. Pit privy						Livesto	k pens	13. Insecticide storage 15. Oil well/Gas well						
2. Sewer lines	5. Cess Po	ool	8. Sewage	e lagoon	11.	. Fuel sto	rage	14. <b>At</b>	oandon v	vater well	16. Oth	er (spec	ify below)	
3. Watertight sewer line	o 6. Seepag East	e pit	9. Feed ya	ard	12	. Fertilize	r storage							
	ITUOL OO	010100					Ho		eet? 10					
From To		ITHOLOG	IC LOG	<u> </u>		From	То		L	THOLO	OGIC LO	<u> </u>		
0 3 top 3 20 cla	soil		·		$\overline{}$		<del> </del>							
	y fine sand													
I I I	wn shale													
45 130 gra	y shale	***************************************												
					$\overline{}$						• "			
												*******		
					$\Box$									
							-		-					
7 Contractor's or Lando	wner's Certifica	ation: This wate	er well was	1. const	ructed	) 2. re	constructe	d or 3.	plug	ged	under my jui	isdiction	and	
was completed on (mo/d	lay/year)	3/11/17		and this r	ecord is	true to the	e best of my	knowledge a	and belie	f.				
Kansas Water Well Cont	ractor's License	e No. 236		This wa	ater well	record wa	s complete	d on (mo/day	//year)	3/1	3/17			
under the business name	of Harp V	Well and Pu	ımp Ser	vice		by (si	gnature)		Too	dos	. Ha	<b>r</b> h		