WATER WELL R				ision of Water ources App. No	I	Well ID	
☑ Original Record ☐ Correction ☐ Change in Well Use 【** LOCATION OF WATER WELL: Fraction			. Sec	tion Number			
2 WELL OWNER: Law Name: Since G S First: Street or Rural Address where well is located (if unknown, distance and							
Business: direction from nearest town or intersection): If at owner's address, check here:							
Address: 1641 N. Westfield 1641 N. Westfield							
City: Wichita	State: \	S ZP: 67212					
3 LOCATE WELL	4 DEPTH OF C	OMPLETED WELL:	53 ք	. 5 Latitus	de:	(decimal degrees)	
WITH "X" IN SECTION BOX:	Depth(s) Groundwa	4 DEPTH OF COMPLETED WELL: 5.3 ft. Depth(s) Groundwater Encountered: 1).3.2 ft.			Longitude:(decimal degrees)		
N SECTION BOX.	N 2)t. 3)			Horizontal Datum: ☐ WGS 84 ☐ NAD 83 ☐ NAD 27			
WELL'S STATIC WATER LEVEL:				Source for Latitude/Longitude: GPS (unit make/model:)			
	below land surface, measured on (mo-day-yr above land surface, measured on (mo-day-yr above land surface, measured on (mo-day-yr				'S (unit make/model: (WAAS enabled7		
NW NE	Pump test data: Well water was			1	nd Survey 🔲 Topogr		
W E						······	
SW SE	Well water was						
) — ·		6 Elevati	6 Elevation:ft. Ground Level TOC			
S	Bore Hole Diameter:			Source: Land Survey GPS Topographic Map			
t mile	t milet						
7. WELL WATER TO BE USED AS:							
1. Domestic: Household	5. Public Water Supply: well ID				10. ☐ Oil Field Water Supply: lease		
I Household R Lawn & Garden				☐ Cased ☐ Uncased ☐ Geotechnical			
☐ Livestock	☐ Livestock 8. ☐ Monitoring: well ID				12. Geothermal: how many bores?		
2. Irrigation					a) Closed Loop Horizontal Vertical		
3.				b) Open Loop Surface Discharge Inj. of Water 13. Other (specify):			
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ৷ No If yes, date sample was submitted:							
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: St Glued Clamped Welded Threaded							
Casing diameter							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel ☐ Fiberglass M PVC ☐ Other (Specify)							
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous Slot							
Louvered Shutter							
GRAVEL PACK INTERVALS: From							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From 20 ft. to							
Nearest source of possible contamination:							
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage							
Direction from well? NUCAAA Distance from well? 20 ft.							
					ft.		
10 FROM TO		OGIC LOG	FROM,	TO I	LTHO. LOG (cont.) or	PLUGGING INTERVALS	
7 32	Top Soil fine ta	10 San 10 d	 			· · · · · · · · · · · · · · · · · · ·	
32 53	fine ta	n Sand tan Sand				<u> </u>	
	<u> </u>	(C.I.) JONESO		 			
			<u> </u>				
Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\) constructed, \(\) reconstructed, or \(\) plugged							
under my jurisdiction and was completed on (mg-day-year) .33.11. and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No							
Kansas Water Well Contractor's License No							
Mail I white copy also	ong with a fee of \$5 00 for	each constructed well to: Kans	المالية (.)Sig as Department	مبرائرین of Health and Fi	nvironment. Bureau of W	ater, GWTS Section	
Mail I white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.							
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015							