KOLAR Document ID: 1382745

	WELL R			WWC-5		vision of Wat					
		Correction		ge in Well Use		ources App. 1	-		Well ID		
		ATER WEL	.L:	Fraction		ction Numb	er	Township Numb		ige Number	
County: 1/4 1/4 1/4 2 WELL OWNER: Last Name: First: S						$\begin{array}{c c c c c c c c c c c c c c c c c c c $					
Z WELL Business:	UWNER: La	ast Name:		First:		rection from nearest town or intersection): If at owner's address, check here:					
Address:									s address,		
Address:											
City:			State:	ZIP:							
3 LOCATI		4 DEPTH	OF COM	APLETED WELL: .	f	5 Latit	nde.			(decimal degrees)	
	WITH "X" IN SECTION BOX:										
	SECTION BOX. N 2) ft. 3) ft., or 4)							WGS 84 🗌 NAI		NAD 27	
		WELL'S ST					Latitude/Longitude				
				·yr) ·yr)		$\Box GPS (unit make/model:)$					
NW	NE	Pump test da				(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map			0)		
w	E	-	hours			Online Mapper:					
	XE		Well v	ì.							
SW	/ NE	after	gpm	6 Flow	6 Flavation: ft Cround Level TOC						
		Estimated Yield:gpm			C 1	6 Elevation:ft. □ Ground Level □ TOC Source: □ Land Survey □ GPS □ Topographic Map					
S	-	Bore Hole Diameter: in. to in. to				\Box Other					
1 mile											
1. Domestic: 5. □ Public Water Supply: well ID 10. □ Oil Field Water Supply: lease											
Househ			6. Dewatering: how many wells?				11. Test Hole: well ID				
🗌 Lawn &		7. 🗌 Aquifer Recharge: well ID									
Livesto				g: well ID							
	2. Irrigation 9. Environmental Remediation: well										
3. Eredlot Air Sparg 4. Industrial Recovery			-		b) Open Loop □ Surface Discharge □ Inj. of Water 13. □ Other (specify):						
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No.											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
□ Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)											
□ Brass □ Galvanized Steel □ Concrete tile □ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From											
Nearest sour	ce of possible	e contaminati	on:								
			Lateral Line			Livestock Po			cide Storage		
Sewer I			Cess Pool	☐ Sewage La ☐ Feedyard		Fuel Storage Fertilizer Sto			oned Water		
	ght Sewer Lin Specify)		Seepage Pit			rennizer Su	orage		n/Gas wen		
Other (Specify) Direction from well? ft.											
10 FROM	TO		ITHOLO		FROM	TO		HO. LOG (cont.) or		G INTERVALS	
<u>├</u>					Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, or plugged											
under my ju	risdiction ar	d was compl	leted on (n	no-day-year)	and	this record	is tru	e to the best of my	y knowled	ge and belief.	
				This Wa							
under the bu	usiness name	Send one copy to	WATER W	/ELL OWNER and retain (one for your rec	ords Fee of ¢	5 00 f	or each constructed we	<u></u> 11		
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.											
-	Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										