KOLAR Document ID: 1405861

WATER WELL R			WWC-5 e in Well Use		vision of Wat ources App.			Well ID		
Original Record Correction Chang 1 LOCATION OF WATER WELL:			Fraction	Section Number					ge Number	
			1/4 1/4 1/							
2 WELL OWNER: La Business: Address: Address: City:		treet or Rural Address where well is located (if unknown, distance and irection from nearest town or intersection): If at owner's address, check here:								
3 LOCATE WELL		State:	ZIP:							
WITH "X" IN	4 DEPTH OF COMPLETED WELL: Depth(s) Groundwater Encountered: 1)					5 Latitude:(decimal degrees) Longitude:(decimal degrees)				
SECTION BOX: N	2)	ft. í	🗌 Dry Well			WGS 84 🗌 NAE		AD 27		
	WELL'S ST			Sour	ce for	Latitude/Longitude:				
	below land surface, measured on (mo-day-yr below land surface, measured on (mo-day-yr below land surface, measured on (mo-day-yr below land surface) below land surface, measured on (mo-day-yr below land surface) below land surface.					$\Box GPS (unit make/model:) (WAAS enabled? \Box Yes \Box No)$				
NW NE	Pump test d				Land Survey Topographic Map					
W E	after	hours			Online Mapper:					
sw -Xse	after	Well v								
	Estimated Y		. gpm		6 Elevation:ft. Ground Level TOC					
S	Bore Hole Diameter: in. to				Sour	Source: \Box Land Survey \Box GPS \Box Topographic Map				
1 mile	1 mile									
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 										
Household	6. Dewatering: how many wells?				11. Test	11. Test Hole: well ID				
Lawn & Garden				Cased Uncased Geotechnical						
☐ Livestock 2. ☐ Irrigation			D			al: how many bores				
3. Feedlot). Li	Extraction		a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water						
4. Industrial Recovery Injection 13. Other (specify):										
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:										
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded										
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.										
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No										
Steel Stainless Steel Fiberglass PVC Other (Specify)										
□ Brass □ Galvanized Steel □ Concrete tile □ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)										
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft. to ft.										
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft. to ft.										
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft. to ft. to ft.										
Septic Tank		Lateral Line	es 🗌 Pit Privy		Livestock P	Pens	☐ Insectic	ide Storage		
Sewer Lines		Cess Pool	🗌 Sewage La	agoon 🗌	Fuel Storag	e	Abando	oned Water		
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well										
Direction from well? ft.										
10 FROM TO		ITHOLO		FROM	TO		HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
	Notes:									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)										
under my jurisdiction ar Kansas Water Well Con	tractor's Lie	eted on (n	no-day-year)	ater Well Ro	this record	is tru	ted on (moday ye	y knowledg	ge and belief.	
under the business name of										
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										