Form WWC-5 WATER WELL RECORD KSA 82a-1212 SECTION NUMBER TOWNSHIP NUMBER RANGE NUMBER LOCATION OF WATER WELL: FRACTION SW 1/4 NW NE 27 2W26 Т Sedgwick 1/4 s E/W Distance and direction from nearest town or city street address of well if located within city? 14707 W. Moscelyn Wichita, Kansas WATER WELL OWNER: PATE, Craig Construction Board of Agriculture, Division of Water Resource RR#,ST. ADDRESS,BOX #: 7732 W. Central Park ZIP CODE: 67205 Wichita, Kansas CITY, STATE: Application Number 130 4 DEPTH OF COMPLETED WELL: ELEVATION: LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth of groundwater Encountered: ft. ft. 22 WELL'S STATIC WATER LEVEL FT. BELOW LAND SURFACE MEASURED ON mo/day/yr: < NE Pump test data: Well water was ft. after hours of pumping @ NW gpm Est. Yield: Well water was ft. after hours of pumping @ gpm gpm Ξ to 130 ٧ Bore Hole Diameter 12 and ft. WELL WATER TO BE USED AS: 11. Injection well 5. Public water supply 7. Lawn and garden only SE-SW 3. Feedlot 1. Domestic 12. Other (Specify below) 6. Oil field water supply 8. Air conditioning 10. Monitoring well 2. Irrigation 4. Industrial ; If yes, what mo/day/yr was sample Was a chemical/bacteriological sample submitted to Department? (NO YES Was Water Well Disinfected? submitted 5 TYPE OF CASING USED CASING JOINTS: Glued 9. Other (Specify below) Threaded 5. Wrought Iron 7. Fiberglass 3. RPM (SR) 1. Steel Clamped SDR-26 8. Concrete tile 6. Asbestos-Cement 2. PVC 4 ABS 5 40 Dia. Blank casing diameter Dia in. ft. 12 2.35 Casing height above land surface: in Weight: lbs. / ft. Wall thickness or gauge No. .214 TYPE OF SCREEN OR PERFORATION MATERIAL: 7. PVC 11. Other (specify) 9 ARS 1. Steel 3. Stainless Steel 5. Fiberglass 8. RMP (SR) 6. Concrete Tile 10. Asbestos-Cement 12. None used (open hole) 2. Brass 4 Galvanized SCREEN OR PERFORATION OPENINGS ARE 9. Drilled holes 11. None (open hole) 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 8. Saw cut 2. Louvered shutter 4. Key punched 6. Wire wrapped 10. Other (specify) 130 SCREEN - PERFORATION INTERVAL 40 to ft., From From to ft. ft. to From ft., From to ft. 24 GRAVEL PACK INTERVALS: ft. to 130 From ft., From ft. ft. From to From ft ft. GROUT MATERIALS: Other bentonite hole plug 2. Cement Grout 3. Bentonite Grout Intervals: From ft. ft... From ft ft., From 4 to ft What is the nearest source of possible contamination: 10. Livestock pens 7. Pit privy 13. Insecticide storage 15. Oil well/Gas well 4. Lateral lines 1. Septic tank 16. Other (specify below) 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 5. Cess Pool 2. Sewer lines 9. Feed yard 12. Fertilizer storage 6. Seepage pit 3. Watertight sewer line How many feet? 20 ft. plus Direction from well? LITHOLOGIC LOG From To LITHOLOGIC LOG From Τo topsoil 3 26 clay 26 30 fine sand 30 130 grey shale

7 Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and was completed on (mo/day/year) 2/14/18 and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 2/16/18

under the business name of Harp Well and Pump Service

by (signature)

Todd S. Harp