	WELL R			WWC-5		rision of Water				
	Record			e in Well Use		ources App. No		Well ID		
1 LOCATION OF WATER WELL: County: SEDGWICK				Fraction SW 1/4 NE 1/4 SE 1/4				ge Number		
		ast Name: MA	SON	First: GEORGE		NE ¼ 24 T 27 S R 2 □ E ■ W treet or Rural Address where well is located (if unknown, distance and				
Business:	O WINDLE D	De France		7.1.5 0.1.0.1			ntersection): If at owner			
Address: 335 NORTH CYRILLA ST.										
Address: City: WICHITA State: KS ZIP: 67235										
3 LOCATI	WICHITA					1				
WITH "				PLETED WELL:						
	SECTION BOX: Depth(s) Groundwater I					Longit	Longitude:			
N	Ī				Horizontal Datum: WGS 84 NAD 83 E Source for Latitude/Longitude:					
		below l	and surface	, measured on (mo-day	vr) 12/19/201		GPS (unit make/model:)			
NW	NE			, measured on (mo-day						
Pump test data: W				vater was		☐ Lar	☐ Land Survey ☐ Topographic Map			
				pumping gpm [ater was ft.			Online Mapper:			
Estimated			ter			6 Elevation:ft. Ground Level TOC				
S Bore Hole Diam			Diameter:	10.5 in to 110	ft. and	Source: Land Survey GPS Topographic Map				
1 m	nile			in. to	ft.		☐ Other			
7 WELL WATER TO BE USED AS:										
1. Domestic: 5.   Public Water Supply: well ID										
Househ					how many wells?					
■ Lawn &				echarge: well ID g: well ID			ed ∐Uncased ∐0 rmal: how many bores			
2. Irrigation				al Remediation: well I			sed Loop  Horizont			
3. ☐ Feedlot			Air Sparge							
4. Industri	ial		] Recovery				er (specify):			
Was a chemical/bacteriological sample submitted to KDHE?  Yes No If yes, date sample was submitted:										
Water well disinfected? ■ Yes □ No										
8 TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other CASING JOINTS: ■ Glued ☐ Clamped ☐ Welded ☐ Threaded										
Casing diameter										
Casing height above land surface										
TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel Stainless Steel Fiberglass PVC Other (Specify)										
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)										
SCREEN OR PERFORATION OPENINGS ARE:										
☐ Continuous Slot ■ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)										
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)										
SCREEN-PERFORATED INTERVALS: From .95 ft. to .110 ft., From										
GRAVEL PACK INTERVALS: From										
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
Grout Intervals: From										
Septic 7			Lateral Line	es 🔲 Pit Privy	П	Livestock Pens	s 🗆 Insection	cide Storage		
☐ Sewer I			Cess Pool	☐ Sewage La		Fuel Storage		oned Water		
■ Watertight Sewer Lines										
☐ Other (Specify) Direction from well? WEST Distance from well? 103 ft.										
					FROM	ТО І	tt. .ITHO. LOG (cont.) or	DI LICCINI	GINTERVALS	
10 FROM	TO 1	TOP SOIL	ITHOLO	OIC LOG	rkom	10 1	ATHO. LOG (CORL.) 01	LLUUGIN	GHIERVALS	
		CLAY			+					
		MED SAND	CLAY							
		MED GRAV								
		CLAY								
		MED SAND	CLAY							
95		MED GRAV			Notes:					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged										
under my jurisdiction and was completed on (mo-day-year) .12/19/20.17 and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No. 884										
Kansas Wa	ter Well Col	nractor's Lic	ense No9 IGER DR	ILLING LLC	aler well Ke	ionature	proced of the day-y	car)	r.KX:0	
Mail 1	white copy alo	ong with a fee of	\$5.00 for ea	ILUNG LLC	nsas Departmen	t of Heeler and E	nvironment, Bureau of W	ater, GWTS	Section,	
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.										
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015										