			WATER	WELL RE	CORD	Form WV	VC-5 K	SA 82a-1	212			
1 LOCATION OF WATER WELL: FRACTION							SECTION NUMBER TOWNSHIP NUMBER RANGE NUMBER					BER
Sedgwick NW 1/4 NW 1/4 NW 1/4						1/4	12	Т	2 7 s	l R	2W	E/W
Distance and	direction fro	n nearest town or city s	treet address of	well if located wi	ithin city?			<u> </u>				
1320	7 W. 21s	N. Ct.	Wich	ita, Kansa	ıs							
2 WATI	ER WELL (WNER: FAE	HOLDING	Lubrica	ation Engir	eers Inc.)					
RR#,ST.	ADDRESS	BOX #: 13207	7 W. 21st N	l. Ct.					Board of A	griculture, Division	on of Wate	r Resource
	CITY,	STATE: Wich	ita, Kansa	S		Z	P CODE:		Application N	umber:		
	E WELL'S LO	CATION 4 D	EPTH OF CO	MPLETED W	ELL: 8	80 ft.		ELEVATION	:			
☐ WITH A	N "X" IN SEC		th of groundwa	ater Encounter	red:	ft			ft.			ft.
		WE	LL'S STATIC	WATER LEVE	L 25	FT. BELC	W LAND SU	RFACE MEA	SURED ON mo	o/dav/vr:	3/23/1	8
	NW	- NE		Pump test dat	a: Well wa	ater was		ft. after		irs of pumping		gpm
<u>a</u>			Est. Yield:	gpm	Well wa	ater was		ft. after		irs of pumping	_	gpm
w Zije		E Bo	re Hole Diame	eter 12	in.	to 8	30 ft.	and	in.		to	ft.
-			LL WATER TO						9. Dewate	ring 11	. Injectio	n well
	SW	1	Domestic	3. Feedlot				nd garden o			er (Spec	ify below
			Irrigation	4. Industrial					10. Monito	ring well s, what mo/da	dur was	cample
	S		as a cnemical/ba imitted	ctenological san	nple submitted to	Department?	YES Was W	/ater Well Dis		YES	y/yi was NO	
5 TY	PE OF CAS	ING USED:				0.0			ASING JOINTS	=		readed
	I. Steel	3. RPM (SR	5. Wrou)	ght Iron	7. Fiberglass	•	ther (Specify	below) C	42ING JOIN 13	Welded		lamped
	2. PVC	> 4. ABS	6. Asbes	stos-Cement	8. Concrete	tile SD	R-26			Weided	0	ampeu
Blank cas	sing diamete	er 5 i	n. to	60 ft.,	Dia.	in.	to	ft.,	Dia.	in. t	0	ft.
Casing h	eight above	land surface:	12 in.,		Weight:	2.35 I	bs. / ft.	Wall	thickness or ga	uge No	.214	
TYPE OF	SCREEN (R PERFORATION	MATERIAL:							ag 0 1 1 0 1	217	
1. Stee	el 3	. Stainless Steel	5. Fibergla	ss C	7. PVC	9. A	BS	11. (Other (specify)			
2. Bras	ss 4	. Galvanized	Concret	e Tile	8. RMP (SR)	10. A	sbestos-Cen	nent 12. I	None used (ope	n hole)		
SCREEN	OR PERFO	RATION OPENING	S ARE:									
1. Conti	nuous slot	3. Mill slo	ot	5. Gauzed wr	apped	7. To	rch cut	9. D i	illed holes	11. No	ne (ope	n hole)
2. Louve	ered shutte	r 4. Key pu	nched	6. Wire wrapp	ped	(8 Sa	w cut	10. O	ther (specify)			
SCREEN	DEDECO	TION INTERVAL			_	-						
JOCKLEN.	PERFORM	TION INTERVAL	From	-	ft. to		ft.,	From	ft.	t	D	ft.
			From		ft. to		ft.,	From	ft.	t	D	ft.
6	RAVEL PA	CK INTERVALS:	From	24	ft. t	o 80	ft.,	From	ft.	t	0	ft.
			From		ft. t	0	ft.,	From	ft.	t	0	ft.
6 GROI	UT MATERI	ALS: 1. Neat c	ement	2. Cem	ent Grout	;	3. Bentonite		Other ber	itonite hol	e plug	
	Intervals:	From		to f	ft., From	ft.	to	ft.,	From	4 ft.	to 24	ft.
1		urce of possible cor		7. Pit privy		10. Livestoc	k pens	13 Inse	cticide storage	15 011	well/Gas	well
1. Depute talik 4. Lateral lilles 1.							•		•	46 046		ify below)
									None			
	rtight sewe	f line 6. Seepag West	e pit	9. Feed yard	d	12. Fertilize	r storage				None	
From	from well?		ITHOLOG	CIC LOC		T rom	T- 1	How	many feet? 50			
0	3	topsoil	.TTIOLOC	JIO LOG		From	То		LITHOL	OGIC LO	<u> </u>	
3	20	clav								~~		
20	45	fine sand							=4.	**************************************		
45	55	clay										
55	80	medium sand										
						-						
						-						
						<u> </u>	 			- 		
										114		
	L											
Cont	tractor's or I	andowner's Certific	ation: This wa		. constructe	d) 2. re	constructed	or 3.	plugged	under my ju	risdiction	and

was completed on (mo/day/year) and this record is true to the best of my knowledge and belief. 3/23/2018

Kansas Water Well Contractor's License No. 236

This water well record was completed on (mo/day/year)

under the business name of Harp Well and Pump Service

by (signature)

y/year) 3/26/18 Todd S. Harp