F		WAIERW	ELL REC	URD F	orm vvv	VC-5 K	SA 82a-12	212		
1 LOCATION OF WA	TER WELL:	FRACTION	0.77		SEC	TION NUMBER		IIP NUMBER	ĺ	NUMBER
Sedgwick		SE 1/4	SE 1/		1/4	26	Τ	27 s	R 2	W E/W
Distance and direction	rom nearest town or city	street address of well	Il if located within	n city?						
13610 One \		Wichita, Ka								
2 WATER WELI	OWNER: ROB	BL CONSTRU	UCTION							
RR#,ST. ADDRES		W. 21st N.						Board of Agr	iculture, Division o	Water Resource
CIT	, STATE: Wich	hita, Kansas			ZI	P CODE:		Application Nur	nber:	
3 LOCATE WELL'S	LOCATION 4	DEPTH OF COMP	PLETED WEL	L: 10	0 ft.	· · · · · · · · · · · · · · · · · · ·	ELEVATION:			
WITH AN "X" IN S	ECTION BOX:	pth of groundwate			ft.			ft.		ft.
		ELL'S STATIC WA		23			IDEACE MEAS		da/	23/18
						W LAND SU		SURED ON mo/o		
-NW	NE -		imp test data:	Well wat			ft. after		of pumping @	gpm
Wile w	X _ I s	Est. Yield:	gpm r 12	Well wat			ft. after		s of pumping @	gpm
1 1	' 1	Bore Hole Diameter		in.	to 1	.00 ft.	and	in.	to	ft.
sw	o-	ELL WATER TO 8 . Domestic 3.		5 Public was	ter sunnly	€7 Lawn a	and garden or	9. Dewateri	9	jection well
								صود 10. Monitorii		Specify below
		Vas a chemical/bacte		6. Oil field w			NO		what mo/day/yr	was sample
`		bmitted	morograal sample	e sooniilled to b	reparament:	YES Was V	Vater Well Disi		YES	NO
5 TYPE OF C	ASING USED:				0.0	thor (Cassifi	, balaw) C/	SING IOINTS:	Glued	Threaded
1. Steel	3. RPM (SF	R) 5. Wrought	t Iron	7. Fiberglass		ther (Specify	(below) CA	ASING JOINTS: (Welded	
2. PVC	A. ABS	6. Asbesto	s-Cement	8. Concrete til	le SD	R-26			weided	Clamped
Blank casing diam	eter 5	in, to	45 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.
_	_	10	15,							
Casing height abo		,		Weight:	2.35 II	bs. / ft.	Wall	thickness or gau	ge No21	4
	OR PERFORATION		7	DVC		DC.	11 (Othor (:6-)		
1. Steel	3. Stainless Steel	5. Fiberglass	_	. PVC	9. A			Other (specify)		
2. Brass	4. Galvanized	6. Concrete 1	lile 8	. RMP (SR)	10. A	sbestos-Cer	ment 12. N	None used (open	hole)	
SCREEN OR PER	ORATION OPENING	GS ARE:								
1. Continuous s	ot 3. Mill sl	ot 5.	Gauzed wrap	ped	7. To	rch cut	9. Dr	illed holes	11. None	(open hole)
2. Louvered shu	tter 4. Key p	unched 6.1	Wire wrapped	d	(8. Sa	w cut	10. Ot	her (specify)		
CODEEN DEDEC	• • •						,,,,	(0,000.),		
SCREEN - PERFO	RATION INTERVAL	From	45 ft.	to	100	ft.,	From	ft.	to	ft.
		From	ft.	to		ft.,	From	ft.	to	ft.
GRAVEL F	PACK INTERVALS:	From	24 ft.	to	100	ft.,	From	ft.	to	ft.
		From	ft.	to		ft.,	From	ft.	to	ft.
6 GROUT MATE	RIALS: 1. Neat									
Grout Intervals:	i. Neat		2. Cemen			3. Bentonite			onite hole p	24
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft., From 4 ft. to 24 ft. What is the nearest source of possible contamination:									o 24 ft.	
1. Septic tank	4. Lateral	7	7. Pit privy	1	0. Livestoc	k pens	13. Inse d	ticide storage	15. Oil wel	/Gas well
2. Sewer lines	5. Cess P	Pool 8	Sewage lag	oon 1	1. Fuel sto	rage	14 Ahan	don water well	16. Other (specify below)
			Feed yard		2. Fertilize	-		acii water wen	N	one
3. Watertight sev	N.T		. I ccu yaru	'	Z. I CIUIIZC	storage	Llaur s		ft plus	
From To		LITHOLOGIC	CLOG		From	T .	nowi	nany feet? 10		
0 3		LITTIOLOGIC	C LOG		From	То		LITHOLC	GIC LOG	
3 28	topsoil clay	- · · · · · · · · · · · · · · · · · · ·			 					
28 48	fine sand				-	-				
48 100	gray shale									
	gray snar									
										~
									-14	
<u></u>										
7 Contractor's o	r Landowner's Certific	cation: This water	well was 1.	constructed) 2. re	constructed	or 3.	plugged	under my jurisd	iction and
was completed of		3/23/2018			-		knowledge and	l beli e f		
						-	_		C/10	
Kansas Water W	ell Contractor's Licens	se No. 236		i nis water we	ell record wa	is completed	l on (mo/day/ye	ear) 3/2	6/18	
								, –	•	
under the busine	ss name of Harp			e		gnature)		odd S	•	b