	WATER W	ELL RECORD	orm WW	/C-5 K	SA 82a-1212			
1 LOCATION OF WATER WELL:	~~~	SECT	ION NUMBER	1			RANGE NUMBER	
Sedgwick	SE 1/4	SE 1/4 NW	1/4	26	T 27	<u>s</u>	R 2W	E/W
Distance and direction from nearest								
14406 W. McCormi		ichita, Kansas						
2 WATER WELL OWNER: RR#,ST. ADDRESS,BOX #:	106 S. Breezy Poin					Board of Agri	culture, Division of Water	Resource
CITY, STATE:	Wichita, Kansas	nte Circle	711	P CODE: 6	7235 A	pplication Nun	nber:	
3 LOCATE WELL'S LOCATION	4 DEPTH OF COMP	PLETED WELL: 1	30 ft.	CODE.	ELEVATION:	pp		
WITH AN "X" IN SECTION BO	Depth of groundwate		ft.			ft.		ft.
N N	WELL'S STATIC WA			W I AND SI	JRFACE MEASURE		day/yr: 3/20/18	3
NWNE			iter was	***	ft. after		of pumping @	gpm
1 1 1	Est. Yield:	•	ater was		ft. after		s of pumping @	gpm
w M	E Bore Hole Diamete	r 12 in.	to 1	30 ft.	and	in.	to	ft.
SW SE	WELL WATER TO E			71000	and corden only	9. Dewateri	•	
SW - SE					and garden only	0. Monitorii	12. Other (Spec	ify below)
		. Industrial 6. Oil field vericlogical sample submitted to		YES	NO		what mo/day/yr was	sample
	submitted				Vater Well Disinfec	ted?	YES NO	
5 TYPE OF CASING US	5. Wrough	t Iron 7. Fiberglass	9. Ot	ther (Specify	below) CASIN	G JOINTS: (Glued Th	readed
	3. RPM (SR) 6. Asbesto	s-Cement 8. Concrete	tile SDI	R-26			Welded C	amped
2. PVC Blank casing diameter	4. AB3			40	ft., Dia		in to	ft,
	12		in.	to	.,		in. to	IL,
Casing height above land su	,	Weight:	2.35 It	os. / ft.	Wall thick	ness or gau	ge No214	
TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)								
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)								
SCREEN OR PERFORATION	N OPENINGS ARE:							
1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole)								
2. Louvered shutter	4. Key punched 6.	Wire wrapped	(8. Sa	w cut	10. Other	(specify)		
SCREEN - PERFORATION IN		40	100					. .
SCREEN FERFORATION II				ft.,	From	ft.	to	ft.
GRAVEL PACK INTE	From From	24	o 130	ft.,	From From	ft.	to	ft.
GIVAVEE PACK IIVIE		-		ft.,		ft.	to	ft.
O CROUT MATERIALS	From		0	ft.,	From	ft.	to	ft.
GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other bentonite hole plug								
Grout Intervals: From ft. to ft., From ft. to ft., From 4 ft. to 24 ft. What is the nearest source of possible contamination:								
1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/Gas well								
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below)								fy below)
Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage None								
	West	0.166	1			feet? 10		
From To	LITHOLOGI	C LOG	From	То		LITHOLO	OGIC LOG	
0 3 topso 3 18 clay								
18 26 fine s	and							
	shale							
				 				
							· · · · · · · · · · · · · · · · · · ·	
			+					
7 Contractor's or Landow	ner's Certification: This wate	r well was 1. constructe	2. re	constructe	d or 3. plu	ugged	under my jurisdiction	and
was completed on (mo/day								
1 (//year) 3/20/2018	and this recor	d is true to the	e best of my	knowledge and be	lief.		
Kansas Mater Mall Control	.,,,				knowledge and be		22/18	
Kansas Water Well Contra	.,,,	This water	vell record wa		d on (mo/day/year)	3/2	22/18 S. Harp	