KOLAR Document ID: 1416678

	WELL R			WWC-5		vision of Wa					
		Correction		ge in Well Use	1	sources App.			Well ID		
1 LOCATION OF WATER WELL:FractionCounty:1/41/41/4					ction Numb	1 0					
County											
						treet or Rural Address where well is located (if unknown, distance and irrection from nearest town or intersection): If at owner's address, check here:					
Address:						needon non nearest town of intersection). If at owner's address, check here.					
Address:											
City:		1	State:	ZIP:							
3 LOCAT		4 DEPTH	OF COM	IPLETED WELL:	f	t. 5 Latit	tude [.]			(decimal degrees)	
	WITH "X" IN SECTION BOX:										
	SECTION BOX: 2) ft. 3) ft., or 4) \Box							WGS 84 🗌 NAI		IAD 27	
	WELL'S STATIC WATER LEVEL:						ce for	Latitude/Longitude	:		
				-yr) -yr)			unit make/model:				
NW	NE	Pump test d					WAAS enabled?		0)		
w X	E	-	hours				Survey 🔲 Topogra e Mapper:				
			Well w	ft.		Chinin					
SW		after hours pumping			6 Flow	6 Elevation: ft \Box Ground Level \Box TOC					
		Estimated Y		C 1	6 Elevation :ft. □ Ground Level □ TOC Source: □ Land Survey □ GPS □ Topographic Map						
	S nile	Bore Hole I			<u>50010</u>						
1 mile											
1. Domestic: 5. □ Public Water Supply: well ID 10. □ Oil Field Water Supply: lease											
	□ Household										
	□ Lawn & Garden 7. □ Aquifer Recharge: wel						Cased Uncased Geotechnical				
	Livestock 8. Monitoring: well ID						12. Geothermal: how many bores?				
2. 🗌 Irrigati				al Remediation: well II				Loop Horizont			
	3. Feedlot Soil Vapor					b) Open Loop 🗌 Surface Discharge 🔲 Inj. of Water					
4. Industrial Recovery Injection 13. Other (specify):											
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
Water well disinfected? Yes No 8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
□ Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)											
Brass Galvanized Steel Concrete tile None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
Continuous Slot I Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)											
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From											
GRAVEL PACK INTERVALS: From											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From											
	rce of possibl			,		,					
Septic			Lateral Line			Livestock P			cide Storage		
Sewer			Cess Pool	□ Sewage La		Fuel Storag			oned Water		
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well											
Other (Specify) Direction from well? ft.											
10 FROM	TO		ITHOLO		FROM	ТО		HO. LOG (cont.) or		G INTERVALS	
					Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged											
				no-day-year)							
Kansas Wa	ter Well Con	tractor's Lice	ense No	This Wa	ater Well Re	cord was co	omple	ted on (mo-day-ye	ear)		
under the b	usiness name	<u>e of</u>	XX7 A (DEC)		<u> </u>	1 50 64					
KS Departr				ELL OWNER and retain Vater, Geology Section, 10						785-296-3565	
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											