				VWC-5		ision of Water	I			
Original	Record [Correction [Change	e in Well Use	Rese	ources App. No		Well ID		
1 LOCATION OF WATER WELL: County: SEDGWICK			Fraction SE 1/4 NE 1/4 NW 1/4		ction Number 30	Township Num T 27 S				
2 WELL OWNER: Last Name MILLER First ASHLEY Street or Rural Address where well is located (if unknown, distance a										
Business Address 200 WEST POPLAR STREET direction from nearest town or intersection): If at owner's address, check h									check here:	
Address: City: GODDARD State: KS ZIP: 67052										
3 LOCATE WELL 4 DEPTH OF COMPLETED WELL: 80									(decimal degrees)	
WITH "				Encountered: 1)			5 Latitude:			
SECTIO) ft., or 4) [Horizon	Horizontal Datum: □ WGS 84 □ NAD 83 □ NAD 27			
	·	WELL'S STAT	TIC WAT	TER LEVEL:	0 ft.	Source	Source for Latitude/Longitude:			
below land surface							GPS (unit make/model:)			
NW	above land surface				-		(WAAS enabled? Yes No)			
w H	Pump test data: Well w			pumping			☐ Land Survey ☐ Topographic Map ☐ Online Mapper:			
Well w				ater was			— Опше маррет			
after hours				pumping						
	Estimated Yield:20			gpm			6 Elevation:ft. Ground Level TOC			
S Bore Hole Diameter:					Source	Source:				
1 mile in. to										
7 WELL WATER TO BE USED AS: 1. Domestic: 5. □ Public Water Supply: well ID										
1. Domestic:		_		ter Supply: well ID g: how many wells?			field Water Supply: ole: well ID			
. —				charge: well ID			☐ Cased ☐ Uncased ☐ Geotechnical			
				g: well ID ,		_	12. Geothermal: how many bores?			
2. 🔲 Irrigati	2. 🗌 Irrigation 9. Environmental					a) Clo	a) Closed Loop			
3. Feedlo			ir Sparge		Extraction		en Loop 🔲 Surface 🛭			
4. 🗌 Industr			ecovery	☐ Injection			ier (specify):			
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:										
Water well disinfected? ■ Yes □ No										
8 TYPE OF CASING USED: ☐ Steel ☐ PVC ☐ Other										
Casing diameter 5 in to 80 ft. Diameter in to ft. Diameter in to SDR-26										
Casing neight above land surface										
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel Fiberglass PVC Other (Specify)										
Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
☐ Continuous Slot ■ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)										
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)										
SCREEN-PERFORATED INTERVALS: From										
GRAVEL PACK INTERVALS: From 23 ft. to 80 ft., From ft. to ft., From ft. from ft.										
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From 3 ft. to 23 ft. From ft. to ft. From ft. to ft. From ft. to ft.										
Nearest source of possible contamination: Septic Tank										
Sewer		☐ Ces		☐ Sewage La		Fuel Storage	_	doned Water		
		ines 🗌 See		☐ Feedyard		Fertilizer Stor	age 🔲 Oil W	ell/Gas Well	l	
Other (Specify)			Distance from w	52			0		
10 FROM							LITHO, LOG (cont.)		IC INTEDVALE	
0 FROM	TO 1	TOD COLL		GIC LOG	FROM	10	LTTHO. LOG (cont.)	л гъоои	CHANATATIO	
1	20	CLAY		•						
20	45	SANDY CLAY		· · · · · · · · · · · · · · · · · · ·	+					
45	55	MED SAND								
55	80	SHALE WITH	VOIDS							
	-									
					Notes:					
					7					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed. Treconstructed on plugged under my jurisdiction and was completed on (mo-day-year) .8/29/2018 and this record is true to the best of my knowledge and belief.										
under my j	urisdiction a	and was complete	ed on (m	no-day-year) .8/29/2	918 and	this record is	s true to the best of i	ny knowled	ige and belief.	
Kansas Water Well Contractor's License No. 884. This Water Well Record was completed on (mo-day-year) 10/3/2018. under the business name of WENINGER DRILLING, LLC										
Mail	white copy a	long with a fee of \$5.	00 for eac	h constructed well to: Ka	nsas Departner	of Health and l	Environment, Bureau of	Water, GWTS	Section,	
				66612-1367 Mail one to				phone 785-296	5-5524.	
Visit us at http://www.kdheks.gov/waterwell_index.html KSA 82a-12										