			WATER W	ELL RECO	RD F	orm WV	VC-5 K	SA 82a-12	212			
1 LOCATIO	ON OF WATE	R WELL:	FRACTION			SEC	TION NUMBER	1	HP NUMBER	RANGE NUMBER		
Sedg			NE 1/4	SE 1/4	NW	1/4	11	Т	27 s	R 2	W E/W	
1		m nearest town or city s			ty?							
1.1	Blacksto		Wichita, Ka		CTION	4						
	ER WELL (—	USMEYER 8 W. York	CONSTRU	CHON				Board of Agr	riculture, Division of	Water Resource	
KK#,51.	. ADDRESS		ita, Kansas			71	P CODE:		Application Nur	mber:		
3 10001	E WELL'S LO		DEPTH OF COMP	DI ETED WELL:	70		F CODE.	ELEVATION:				
P WITH	AN "X" IN SEC	CTION BOX:	oth of groundwater		. •	ft.			ft.		ft.	
I F	N I		ELL'S STATIC WA		28			IDEACE MEAS	SURED ON mo/	day/yr: 10//	24/18	
				mp test data:	Well wate		W LAND SC	ft. after		s of pumping @	gpn	
a l	NW.	NE	Est. Yield:	gpm	Well wate			ft. after		s of pumping @	gpm	
w Wile		———Е В	ore Hole Diameter	10	n.	to 7	70 ft.	and	in.	to	ft.	
-			ELL WATER TO B	E USED AS:					9. Dewater	ing 11. Inj	ection well	
111	sw	i I						nd garden or			Specify below	
			. Irrigation 4. Vas a chemical/bacter				8. Air con	ditioning	10. Monitori : If ves,	what mo/day/yr	was sample	
	S		vas a chemical/bactei bmitted	nological sample st	ubmilled to D	epartment?	YES Was V	Vater Well Dis		YES	NO	
5 TY	PE OF CAS	SING USED:	E Manualit	Jan. 7 (Fiboraloga	9 0	ther (Specify	below) CA	ASING JOINTS:	Glued	Threaded	
	1. Steel	3. RPM (SF	•		Fiberglass	cD)	R-26			Welded	Clamped	
	2. PVC	> 4. ABS	6. Asbestos	s-Cement 8. (Concrete tile	e SD	K-20					
Blank cas	sing diamete	er 5	in. to	50 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.	
Casing h	neight above	land surface:	12 in.,	w	eight:	2.35 II	bs. / ft.	Wall	thickness or gau	ge No214	4	
ł		OR PERFORATION		7.5				44.4	D4b (:6 .)			
1. Stee		3. Stainless Steel	5. Fiberglass		VC >	9. A			Other (specify)	, bala)		
2. Bra		I. Galvanized	6. Concrete T	ile o. K	RMP (SR)	10. A	sbestos-Cer	nent 12. 1	None used (open	i fiole)		
II.		PRATION OPENING		O		7 T -		0 D -	مماحط احمالك	44 None (anan bala)	
	inuous slot			Gauzed wrappe	d		rch cut		illed holes	11. None (open hole)	
2. Louv	ered shutte	er 4. Key pu	ınched 6. \	Wire wrapped		(8. Sa	w cut	10. Of	ther (specify)			
SCREEN	- PERFORA	ATION INTERVAL	From	50 ft.	to	70	ft.,	From	ft.	to	ft.	
			From	ft.	to		ft.,	From	ft.	to	ft.	
0	RAVEL PA	CK INTERVALS:	From	24 ft.	to	70	ft.,	From	ft.	to	ft.	
			From	ft.	to		ft.,	From	ft.	to	ft.	
6 GRO	UT MATER	ALS: 1. Neat of	cement	2. Cement G	rout		3. Bentonite	>	Other		,	
Grout	Intervals:	From 4	ft. to	24 ft.,	From	ft.	to	ft.,	From	ft. to	o ft.	
		ource of possible co	7	. Pit privy	1(0. Livestoc	k pens	13 Insec	rticide storane	15. Oil well	/Gas well	
1	0 Causas Ia						•		13. Insecticide storage 14. Abandon water well		16. Other (specify below)	
2. Sewe		5. Cess P	-			1. Fuel sto	-	14. Abar	idon water well		, ,	
	rtight sewe from well?	er line 6. Seepag North	ge pit 9	. Feed yard	1,	2. Fertilize	rstorage	How	many feet?	10 ft. plus		
From	To		LITHOLOGIC	CLOG		From	То	110W1		OGIC LOG		
0	3	topsoil				1 10111	'		LittioEd	2010 200		
3	28	clay										
28	45	fine sand										
45	70	medium sand		***								
			**									
	ļ								,			
	 	 					ļ					
·	ļ	-					-		<u> </u>			
	1											
7 Con	tractor's or	_andowner's Certific	cation: This water	well was 1. Co	onstructed) 2. re	constructed	or 3.	plugged	under my jurisdi	ction and	
		(mo/day/year)	10/24/18	_				knowledge and				
1	•	Contractor's Licens					•	on (mo/day/y		26/18		
1					io maici we		•					
under ti	ne business	name of Harp	Well and Pur	np Service		by (si	gnature)	7	odds	$\mathbf{H} \alpha \mathbf{M}$	n	