KOLAR Document ID: 1431532

	WELL R			WWC-5		vision of Wat					
		Correction		ge in Well Use		ources App. 1			Well ID		
				Fraction				Township Numb		nge Number	
County: 1/4 1/4 1/4 2 WELL OWNER: Last Name: First: S						1 4 1 1					
2 WELL Business:		ast Name:				rection from nearest town or intersection): If at owner's address, check here:					
Address:					direction from	ection from hearest town of intersection). If at owner's address, check here.					
Address:											
City:		T	State:	ZIP:							
3 LOCATE WELL 4 DEPTH OF COMPLETED WELL:						5 Latit	nde.			(decimal degrees)	
	WITH "X" IN SECTION BOX:						Longitude:(decimal degrees)				
SECTION BOX. N 2) ft.				3) ft., or 4)	Dry Well			WGS 84 🗌 NAI		NAD 27	
		WELL'S ST				Source for Latitude/Longitude:					
				yr)		GPS (unit make/model:)					
NW	NE	Pump test d		yr)		(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map ☐ Online Mapper:					
w	Е	~	hours								
			Well water was ft.								
SW-A	SE		after hours pumping gpr			6 Flowation: ft Ground Level GTOC					
			Estimated Yield:gpm			6 Elevation:ft. □ Ground Level □ TOC Source: □ Land Survey □ GPS □ Topographic Map					
	S milo	Bore Hole I	Bore Hole Diameter: in. to			Other					
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 											
			6. □ Dewatering: how many wells?			11. Test Hole: well ID					
Lawn		7. Aquifer Recharge: well ID				Cased Uncased Geotechnical					
	Livestock 8. Monitoring: well ID .										
	2. Irrigation 9. Environmental Remediation: well ID							Loop Horizont			
4. Industrial Recovery Injection 13. Other (specify):											
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:											
Water well disinfected? Yes No 8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
□ Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)											
Brass Galvanized Steel Concrete tile None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)											
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Nearest source of possible contamination: No potential source of contamination within 200 ft.											
□ Septic			Lateral Line			Livestock P	ens	□ Insectio	cide Storage		
Sewer			Cess Pool	🗌 Sewage Lag		Fuel Storage			oned Water		
	ight Sewer Li			☐ Feedyard		Fertilizer St	orage	🗌 Oil We	ll/Gas Well		
Direction from well? ft.											
10 FROM	TO		ITHOLO		FROM	ТО		HO. LOG (cont.) or		GINTERVALS	
IV IROM	10	-			TROM	10	LII		1 LOGOIN	GINTERVILLS	
					Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged											
under mv i	urisdiction a	id was compl	leted on (n	no-day-year)	and	this record	is tru	ie to the best of m	v knowled	ge and belief.	
Kansas Wa	ter Well Cor	ntractor's Lice	ense No	This Wa	ter Well Re	cord was co	mple	ted on (mo-day-ye	ear)		
	usiness name	e of		••••••••••••••••••			.				
KS Departe				ELL OWNER and retain of Vater Geology Section 10						785-206-3565	
-	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										