	WATER W	ELL REC	ORD F	orm WV	VC-5 K	SA 82a-	1212				
1 LOCATION OF WATER WELL:	FRACTION	·			SECTION NUMBER		NSHIP NUMBER	₹	RANGE NUMBER		
Sedgwick Distance and direction from nearest town or cit	SE 1/4		/4 NW	1/4	26	T	27 s		R 2W	E/W	
13606 W. Onewood	Wichita, Kans		iri City?								
2 WATER WELL OWNER: ROBL CONSTRUCTION Board of Agriculture, Division of Water Resource											
RR#,ST. ADDRESS,BOX #: 584	2 W. 21st N.					5005	Board	of Agriculture, D	hvision of Wa	iter Resource	
	hita, Kansas		10		P CODE: 6			on Number:			
WITH AN "X" IN SECTION BOX:	DEPTH OF COMF					ELEVATIO				ft.	
	epth of groundwate		••	ft ET DELC		IDEACE ME	ft. EASURED ON	l mo/day/vr	2/14/		
	VELL'S STATIC WA	mp test data:			W LAND SU	ft. afte		hours of pum		gpm	
	Est. Yield:	gpm	Well wa			ft. afte		hours of pum		gpm	
1 -	Bore Hole Diamete		in.	to 1	100 ft.	. and	i	in.	to	ft.	
	VELL WATER TO E 1. Domestic 3.	BE USED AS: . Feedlot	: 5. Public wa	ter supply	7. Lawn	and garden	only 9. Dev	watering	11. Inject	tion well ecify below)	
			6. Oil field w				10. Mo	nitoring well			
S	Was a chemical/bacte				YES	NO) Disinfected?	f yes, what mo		as sample O	
5 TYPE OF CASING USED:	ubmitted							\rightarrow		Threaded	
1. Steel 3. RPM (\$	•		7. Fiberglass	SD.	ther (Specify R-26	y DelOW)	CASING JOII	Welder		Clamped	
2. PVC 4. ABS	6. Asbesto	s-Cement	8. Concrete ti	ile SD	K-20					·	
Blank casing diameter 5	in. to	45 ft.,	Dia.	in.	to	ft.,	Dia.	in.	to	ft.	
Casing height above land surface:	12 in.,		Weight:	2.35	bs. / ft.	W	all thickness o	r gauge No.	.214		
TYPE OF SCREEN OR PERFORATION 1. Steel 3. Stainless Steel	N MATERIAL: 5. Fiberglass		7. PVC	9. A	BS	1	1. Other (spec	ify)			
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)											
SCREEN OR PERFORATION OPENIN	IGS ARE:										
1. Continuous slot 3. Mill s	slot 5.	Gauzed wra	pped	7. T c	rch cut	9.	Drilled holes	. 11.	. None (o	pen hole)	
2. Louvered shutter 4. Key	punched 6.	Wire wrappe	ed	8. S a	w cut	10.	Other (speci	fy)			
SCREEN - PERFORATION INTERVAL	From	4 5 ft	. to	100	ft.,	From	ft.		to	ft.	
	From	ft	i. to		ft.,	From	ft.		to	ft.	
GRAVEL PACK INTERVALS:	From	24 ft	. to		ft.,	From	ft.		to	ft.	
	From	55 ft.	. to	100	ft.,	From	ft.		to	ft.	
GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other bentonite hole plug Grout Intervals: From ft. to ft From 4 ft to 24 ft From 53 ft. to 55 ft.											
Grout Intervals: From What is the nearest source of possible		ft.,		4 ft.	to		t., From			-	
1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/Gas well											
2. Sewer lines 5. Cess		Sewage la	•	11. Fuel sto	-	14. A l	bandon water	well 10.	Other (spe	icity below)	
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage Direction from well? North How many feet? 10 ft plus											
From To	LITHOLOGI	C LOG		From	То	I		OLOGIC I			
0 3 topsoil											
3 27 clay 27 39 fine sand					<u> </u>						
27 39 fine sand 39 53 medium san	d				·						
53 100 gray shale											
				+	-				- 1		
					<u> </u>	<u> </u>					
7 Contractor's or Landowner's Cert	ification: This water	rwell was 1 (constructed	1) 2, re	constructe	d or 3	plugged	under m	ny jurisdiction	on and	
Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my junsdiction and was completed on (mo/day/year) 2/14/19 and this record is true to the best of my knowledge and belief.											
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 2/18/19											
under the business name of Harp Well and Pump Service by (signature) Todd S. Howb											
Tall	u		-	٠,	•		I	ひい. し	vvi U		