	WATER WELL R	ECORD FO	orm WW		SA 82a-121			
1 LOCATION OF WATER WELL:	FRACTION		1	ION NUMBER	1			
Sedgwick	NE 1/4 SE	1/4 SW	1/4	1	т 27	S	R 2W	E/W
Distance and direction from nearest town or city street address of well if located within city?								
1505 N. Blackstone	Wichita, Kans							
2 WATER WELL OWNER: KLAUSMEYER CONSTRUCTION RR#.ST. ADDRESS.BOX #: 10008 W. York Board of Agriculture, Division of Water Resource								
67215								
WITH AN "X" IN SECTION BOX:	DEPTH OF COMPLETED				LLEVATION.	8		ft.
N De	pth of groundwater Encoun		ft.		DE4.0E 1.1E 1.0	ft.	2/16	
W	ELL'S STATIC WATER LE			W LAND SU	RFACE MEASUR			
								gpm gpm
	Est. Yield: gpm	v Well wate 2 in.	erwas to <b>7</b> 0	0 ft.	π. aπer and	in.	to bumping w	gpin ft.
	Bore Hole Diameter ]		10 /	<b>U</b> 11.	anu		44 -	tion well
	1. Domestic 3. Feedlot	5. Public wat	er supply	7. Lawn a	nd garden only	9. Dewaterii >	12. Other (Sp	
2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well								
	Was a chemical/bacteriological s			YES	NO		what mo/day/yr w	
SU	ubmitted			Was W	ater Well Disinfe	cted?	YES N	0
5 TYPE OF CASING USED:	5. Wrought Iron	7. Fiberglass	9. Ot	her (Specify	below) CASI	NG JOINTS: 🤇	Glued	Threaded
1. Steel 3. RPM (S	R) 6. Asbestos-Cemer	t 8. Concrete til	SDF	R-26			Welded	Clamped
2. PVC 4. ABS					4	No.		4
Blank casing diameter 5		t., Dia.	in.	to			in. to	ft.
Casing height above land surface: 12 in., Weight: 2.23 lbs. / ft. Wall thickness or gauge No214								
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Stoel 3 Stainless Steel 5 Fiberolass 7, PVC 9, ABS 11. Other (specify)								
1. Steel 3. Stainless Steel	5. Fiberglass		9. AE				holo)	
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)								
SCREEN OR PERFORATION OPENIN								k k k k k k k
1. Continuous slot 3. Mill slot 5. Gauzed wrapped				rch cut	9. Drille	d holes	11. None ( o	pen hole)
2. Louvered shutter 4. Key p	ounched 6. Wire wra	apped	8. Sa	w cut	10. Othe	r (specify)		
SCREEN - PERFORATION INTERVAL	From 50	ft. to	70	ft.,	From	ft.	to	ft.
	From	ft. to		ft.,	From	ft.	to	ft.
GRAVEL PACK INTERVALS:	From 24	ft. to	70	ft.,	From	ft.	to	ft.
GRAVEL FACK INTERVALS.	1 Iom		70				_	
	From	ft. to		ft.,	From	ft.	to	ft.
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other bentonite hole plug								
Grout Intervals: From	ft. to	ft., From	ft.	to	ft.,	From 4	ft. to	<b>24</b> ft.
What is the nearest source of possible c           1. Septic tank         4. Latera	7 Dit aris	<b>/y</b> 10	0. Livestoc	k pens	13. insectio	ide storage	15. Oil well/G	as well
1. Septic tank 4. Lateral lines 1. Several lacon 11. Evel storage 14. Abandon water well 16. Other (specify below)								
3. Watertight sewer line       6. Seepage pit       9. Feed yard       12. Fertilizer storage         Direction from well?       North       How many feet?       10 ft. plus								
From To	LITHOLOGIC LOG	}	From	То			GIC LOG	
0 3 topsoil								
3 21 clay and fine	sand							
21 47 fine sand								
47 70 medium san	d							
· · · · · · · · · · · · · · · · · · ·								
<b>├───├</b> ───								
····								
7 Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and								
was completed on (mo/day/year) 3/26/19 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 3/27/19								
under the business name of Harp Well and Pump Service by (signature) ToddS. Hourp								