			WATER W	ELL RE	CORD	Form W	NC-5 K	SA 82a-12	12			
1 LOCATION OF WATER WELL:			FRACTION			SEC	TION NUMBE		OWNSHIP NUMBER		RANGE NUMBER	
Sedgwid			SW 1/4		1/4 SE	1/4	23	<u> </u>	27 S	R 2	W E/W	
		nearest town or city s										
107 S. C				, Kansa								
2 WATER			C, Craig Con		n				Board of Ag	riculture, Division of	Water Resource	
RR#,ST. AD	CITY, S		W. Central] ita, Kansas	rark		-	IP CODE: 6	7205	Application Nu	mber:		
2 100475.11			EPTH OF COMP	DI ETEN W	CI 1 1	20 ft.	IF CODE	ELEVATION:	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
3 LOCATE W	X" IN SEC	TION BOX:	th of groundwate				t.		ft.		ft.	
1	N		th of groundwate LL'S STATIC W					IDEACE MEAS	SURED ON mo/	/day/yr: 4/2	7/19	
				imp test dat		ater was	JVV LAIND S	ft. after		s of pumping @	gpm	
NY NY	* -	- NE	Est. Yield:	gpm		ater was		ft. after		s of pumping @	gpm	
w Wije		E Bo	re Hole Diamete				120 ft	. and	in.	to	ft.	
-		WE	LL WATER TO	BE USED A	S:				9. Dewater	ing 11. Inj	ection well	
l - sv	۸ · - ۲٫	-SE 1.	Domestic 3	. Feedlot	5. Public w	ater supply	7. Lawn	and garden on		12. Other (Specify below)	
			•	. Industrial		water supp	,	nditioning	10. Monitori	ing well what mo/day/yr	was samnle	
	S		as a chemical/bacte mitted	eriological sar	mple submitted to	Department?	YES Was \	NO Water Well Disi		YES	NO	
5 TYPE	OF CAS	NG USED:				0.0			SING JOINTS:	Glued	Threaded	
1. S		3. RPM (SR	5. Wrough)	t Iron	7. Fiberglas	•	Other (Specify	y below) Ch	101110 3011110.	Welded	Clamped	
2. P	vc >	4. ABS	Asbesto	s-Cement	8. Concrete	tile SL	R-26				•	
Blank casing	diamete	r 5 i	n. to	30 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.	
Casing heig	ht above	land surface:	12 in.,		Weight:	2.35	lbs. / ft.	Wall t	thickness or gau	ige No21	4	
TYPE OF SC	CREEN C	R PERFORATION	MATERIAL:									
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)												
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)												
SCREEN OR	RPERFO	RATION OPENING	S ARE:									
1. Continue	ous slot	3. Mill slo	t 5.	Gauzed w	rapped	7. T	orch cut	9. Dr i	illed holes	11. None	open hole)	
2. Louvere	d shutte	d. Key pu	nched 6.	Wire wrap	ped	8. S	aw cut	10. Ot	her (specify)			
SCREEN - PE	ERFORA	TION INTERVAL	From	30	ft.	to 120	ft.,	From	ft.	to	ft.	
			From			to	ft.,	From	ft.	to	ft.	
GRA	VFL PAC	CK INTERVALS:	From	24	ft.	to 120	ft.,	From	ft.	to	ft.	
	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	, , , , , , , , , , , , , , , , , , ,	From			to	ft.,	From				
a L ODOUT	MATERI	AL C:			 		,	· · · · · · · · · · · · · · · · · · ·	ft. Other hen	to	ft.	
<u> </u>	MATERIA	I. NEAL C			ent Grout		3. Bentonite		o c ii	tonite hole p	0	
Grout Inte		From urce of possible cor	ft. to		ft., From	fi		ft.,	From 4	1 ft. t	o 24 ft.	
1. Septic ta		4. Lateral		7. Pit privy 10. Livestock pens			ck pens	13. Insecticide storage 15. Oil well/Gas well				
2. Sewer li	ines	5. Cess Po	ool loo	B. Sewage	lagoon	11. Fuel st	orage	14. Aban	don water well	16. Other (:	specify below)	
3. Watertig	ht sewe	line 6. Seepag	je pit	9. Feed yar	ď	12. Fertiliz	er storage					
Direction from		Southea						How n	nany feet? 50			
From	То		ITHOLOGI	C LOG		From	То		LITHOL	OGIC LOG		
0	3	topsoil										
3		clay .					 					
20	22 120	fine sand grey shale										
	120	grey snate										
-												
 						-	+					
							 					
†												
7 Contrac	ctor's or L	andowner's Certific	ation: This wate	r well was 1	. construct	ed 2. 1	econstructe	d or 3.	plugged	under my jurisd	iction and	
was comp	leted on	(mo/day/year)	4/27/19		and this recor	d is true to th	ne best of my	knowledge and	d belief.			
Kansas Wa	ater Well	Contractor's Licens	e No. 236		This water	well record v	as complete	d on (mo/day/ye	ear) 4/	30/19		
	-	name of Harp V	-	mn Sau-			signature)			Har	h	
ı unuennen	いいつけにてるる	name of FIXITI) (TT CII AIIU FU	mu serv	ICE	~, \			(TT 4 4 4 /)	• TT (AA)		