KOLAR Document ID: 1464331

	WELL R			WWC-5		vision of Wat ources App.			Well ID		
	Original Record Correction Change in Well Use 1 LOCATION OF WATER WELL: Fraction						ion Number Township Number Range Number				
County: 1/4 1/4 1/4							T S R DEDW				
2 WELL Business: Address: Address: City:	OWNER: La		State:	First: ZIP:		reet or Rural Address where well is located (if unknown, distance and ection from nearest town or intersection): If at owner's address, check here:					
3 LOCATE WELL											
WITH "	4 DEPTH OF COMPLETED WELL: Depth(s) Groundwater Encountered: 1)						5 Latitude:(decimal degrees) Longitude:(decimal degrees)				
	SECTION BOX. 2) ft. 3) ft., or 4) \Box					Datum: WGS 84 NAD 83 NAD 27					
	WELL'S STATIC WATER LEVEL:						Source for Latitude/Longitude:				
NW	NE			-yr) -yr)		□ GPS (unit make/model:) (WAAS enabled? □ Yes □ No)					
		Pump test da	ì.		Land Survey Topographic Map						
W X	E	after	hours Well v			Online	Mapper:				
SW	SE	Well water was ft. after hours pumping gpm									
		Estimated Y				6 Elevation :ft. □ Ground Level □ TOC <u>Source</u> : □ Land Survey □ GPS □ Topographic Map					
1 r	S nilel	Bore Hole D		<u>30010</u>	Other						
Image:											
1. Domestic: 5. Public Water Supply: well ID 											
	□ Household 6. □ Dewatering: how many wells □ Lawn & Garden 7. □ Aquifer Recharge: well ID										
	Livestock 8. Monitoring: well ID							al: how many bores			
	2. Irrigation 9. Environmental Remediation: well ID						a) Closed Loop Horizontal Vertical				
3. Eredlot Air Sparge 4. Industrial Recovery				Extraction		b) Open Loop Surface Discharge Inj. of Water Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE ? Yes No If yes, date sample was submitted:											
Water well disinfected? Yes No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
□ Steel □ Stainless Steel □ PVC □ Other (Specify)											
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: Image: Comparison of the sector of											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)											
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.											
Nearest sou	rce of possible		on: No Lateral Line	potential source of con		thin 200 ft. Livestock P	Done		ide Storage		
□ Sewer	Lines		Cess Pool	□ Sewage La	igoon	Fuel Storag			ned Water	Well	
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well											
Direction from well? ft.											
10 FROM	TO		ITHOLO		FROM	TO		HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
					Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)											
Kansas Wa	ter Well Con	tractor's Lice	ense No	This Wa	ater Well Re	cord was co	omplet	ted on (mo-day-ye	ear)		
	usiness name	of									
KS Departr	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.										
-	Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										