		WATER V	VELL R	ECORD	Form	ww	C-5 K	SA 82a-	1212				
1 LOCATION OF WAT	ER WELL:	FRACTION			_		ON NUMBE	l .			RANGE NUMBER		
Sedgwick		NW 1/4	·	1/4 SI	E 1/4		5	Т	27 5	3	R	2W	E/W
	om nearest town or city : h Circle West		ell if located v lwich, K	•									
2 WATER WELL		PPKE, Dari		alisas									
RR#,ST. ADDRES		N. 189th Ci		st					Boa	rd of Agricu	ulture, Divisio	on of Wate	er Resource
CITY	, STATE: Colw	ich, Kansas				ZIP	CODE:	7030	Applica	ation Numb	er:		
3 LOCATE WELL'S I		DEPTH OF COM	IPLETED V	VELL:	120	ft.		ELEVATIO	N:				
WITH AN X IN SE	Dep	oth of groundwat	er Encount			ft.			ff				ft.
	WE	ELL'S STATIC W					V LAND SU	JRFACE ME				5/9/19	-
NW -	NE		ump test da		water wa			ft. after ft. after			of pumping of pumping	_	gpm gpm
w Mile	E B	Est. Yield: ore Hole Diamet	gpm er 1		water wa	s to 12	20 ft.			in.		to	ft.
=	X	LL WATER TO		AS:					9. D	ewaterin	g 11	Injection	on well
sw	1 1		3. Feedlot		water su	pply <		and garden	only		12. Oth	er (Spec	cify below)
		. Irrigation /as a chemical/bac	4. Industria			• • •	8. Air cor	nditioning		onitoring If yes, w	j we ii h <u>at</u> mo/da	v/vr was	sample
s		omitted	tenological sa	impie submitted	го рераги	nentr		Water Well D	_	_	YES	NO	
5 TYPE OF CA	SING USED:	5. Wroug	ht Iron	7. Fibergla	ass	9. Oth	er (Specify	/ below)	CASING JO	INTS: C	Glued	Т	hreaded
1. Steel	3. RPM (SR	()		_		SDR	-26				Welded	C	Clamped
2. PVC	4. ABS		os-Cement		te tile				Di-				
Blank casing diame	-	in. to	40 ft		2.25	in. 	to	ft.,	Dia.	in			ft.
Casing height abov	e land surface: OR PERFORATION	,		Weight:	2.35) lbs	s. / ft.	Wa	all thickness	or gauge	e No.	214	
1. Steel	3. Stainless Steel	5. Fiberglas	is (7. PVC		9. AB	s	11	. Other (spe	ecify)			
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)													
SCREEN OR PERF	ORATION OPENING	SS ARE:											
1. Continuous sid	ot 3. Mill slo	ot 5	. Gauzed w	rapped		7. Toro	ch cut	9. 1	Drilled hole	es	11. No	ne (ope	en hole)
2. Louvered shut	ter 4. Key pu	inched 6	. Wire wraj	pped	<	8. Saw	cut	10.	Other (spe	cify)			
SCREEN - PERFOR	ATION INTERVAL	From	40	ft.	to 1	20	ft.,	From	f	t.	to	o	ft.
		From		ft.	to		ft.,	From	f	t.	to	0	ft.
GRAVEL P	ACK INTERVALS:	From	24	ft.	to 1	20	ft.,	From	f	t.	to	0	ft.
		From		ft.	to		ft.,	From	f	t.	to	0	ft.
6 GROUT MATER	RIALS: 1. Neat o	cement	2. Cer	nent Grout		3.	Bentonite		Other	bento	nite hol	e plug	
Grout Intervals:	From 4	ft. to	24	ft., From	m	ft.	to	ft.	, Fron	m	ft.	to	ft.
What is the nearest	source of possible co 4. Lateral		7. Pit privy	10. Liv	estock	pens	13. Insecticide storage			15. Oil well/Gas well			
2. Sewer lines		11. Fuel storage			14. Abandon water well 16. Other (specify be				ify below)				
3. Watertight sew	5. Cess P er line 6. Seepag		9. Feed ya	rd	12. Fe	rtilizer	storage						
Direction from well?	BT . 41	, , , , , , , , , , , , , , , , , , ,							How many feet? 200 ft. plus				
From To		LITHOLOG	IC LOG		Fr	om	То		LITI	HOLO	GIC LO	G	
0 3	topsoil					\dashv							
3 21 27	clay fine sand												
27 120	grey shale												
						\rightarrow							
						$\neg \dagger$							
		- w				\dashv							
	<u> </u>												
			All distances										
					_ _				_	_			
7 Contractor's or	Landowner's Certific		er well was	1. construc	ted	e. rec	onstructed	d or 3.	plugge	d u	nder my jui	risdiction	n and
was completed or	n (mo/day/year)	5/9/19		and this reco	ord is true	to the	best of my	knowledge a	ind belief.				
Kansas Water We	ell Contractor's Licens	se No. 236		This wate	r well rec	ord was	completed	d on (mo/day		5/10			
under the busines	sname of Harp	Well and Pu	ımp Serv	vice		by (sig	nature)		Todi	ds.	Ha	rb	