		WATERW	ELL REC	ORD F	orm WV	VC-5 K	SA 82a-12	12		
1 LOCATION OF WAT	ER WELL:	FRACTION	CTT		- 1	TION NUMBE	1	IP NUMBER	RANGE N	
Sedgwick		SW 1/4		/4 NE	1/4	13	T 2	27 S	R 2	W E/W
Distance and direction fro	•			in city?						
1011 N. Forr		Wichita,		LICTION						
2 WATER WELL	-	USMEYER	CONSTR	UCTION				Board of Agri	iculture, Division of	Water Resource
RR#,ST. ADDRESS		8 W. York iita, Kansas			7	IP CODE: 6	7215	Application Nun	nher	
			DI ETED MEI	1: 85		IP CODE.	ELEVATION:	Application Hair		
3 LOCATE WELL'S L WITH AN "X" IN SE	CTION BOX:	DEPTH OF COMP					ELLVATION.	ft,		ft.
N N		oth of groundwate			ft		10510511510		0/1	3/19
	WE	LL'S STATIC W		25		W LAND S		URED ON mo/o	.,,	
NW NW	NE		imp test data:	Well wat			ft. after ft. after		of pumping @ of pumping @	gpm gpm
₩ M	E Bo	Est. Yield: ore Hole Diamete	gpm r 12	Well wat	erwas to {	85 ft		in.	to	ft.
5 "		ELL WATER TO E		111,	10 (J 11	. and		4.4 Just	ection well
sw			. Feedlot	5. Public was	ter supply	7. Lawn	and garden on	9. Dewateri	''9	specify below
	2.	Irrigation 4		6. Oil field w				10. Monitorii	ng well	
S		as a chemical/bacte				YES	NO		what mo/day/yr	
		omitted				Was \	Water Well Disir	nfected?	YES	NO
5 TYPE OF CA		, 5. Wrough	t Iron	7. Fiberglass	9. O	ther (Specif	y below) CA	SING JOINTS: (Glued	Threaded
1. Steel	3. RPM (SR	6. Asbesto	s-Cement	8. Concrete ti	le SD	R-26			Welded	Clamped
2. PVC Blank casing diamet	> 4. ABS er 5 i	in. to	65 ft.,	Dia.	in.	to	ft.,	Dia.	in. to	ft.
		10	05 II.,			to				
Casing height abov		12 in.,		Weight:	2.35	bs. / ft.	Wall t	hickness or gau	ge No214	ŀ
	OR PERFORATION 3. Stainless Steel	MATERIAL: 5. Fiberglass	_	7. PVC	9. A	ARS	11 C	ther (specify)		
1	4. Galvanized	6. Concrete		B. RMP (SR)		Asbestos-Ce		lone used (open	hole)	
			THE C	J. 1(WII (G(V)	10. 7	13063103-06	1110111 12.11	one doed (open	noic)	
	DRATION OPENING						0.5	Hadbalaa	44 Name /	anan hala)
1. Continuous slot 3. Mill slot 5. Gauzed wrapped						7. Torch cut 9. Drilled holes 11. None (open hole)				
2. Louvered shutt	er 4. Key pu	inched 6.	Wire wrappe	d	8. S a	w cut	10. Otl	ner (specify)		
SCREEN - PERFOR	ATION INTERVAL	From	65 ft.	to	85	ft.,	From	ft.	to	ft.
		From	ft.	. to		ft.,	From	ft.	to	ft.
GRAVEL PA	From	24 ft.	to	57	ft.,	From	ft.	to	ft	
		From	61 ft.	to	85	ft.,	From	ft.	to	ft.
6 GROUT MATER	PIAIS: 4 No -4 -		*****	101					onite hole pl	
Grout Intervals:	IALS: 1. Neat o	ft. to	2. Cemen			3. Bentonite			_	61 ft.
What is the nearest s			11.,	FIOIII	4 ft.	to	24 ft.,	From 5	/ II. 10	OI II.
1. Septic tank	4. Lateral	lines	7. Pit privy	1	0. Livestoo	ck pens	13. Insec	ticide storage	15. Oil well/	Gas well
2. Sewer lines	5. Cess P	ool 8	B. Sewage lag	goon 1	1. Fuel sto	rage	14. Aban	don water well	16. Other (s	pecify below)
3. Watertight sew	er line 6. Seepag	ge pit ⁹	. Feed yard	1	2. Fertilize	r storage				
Direction from well?	East						How m	nany feet? 70 1		
From To	L	LITHOLOGI	C LOG		From	То		LITHOLO	GIC LOG	
0 3	topsoil					ļ				
3 21	clay		-		-	-				
21 51	fine sand									
51 60 60 85	clay medium sand									
00 35	medium sand				<u> </u>	1				
						-				
						1				
						+				
	+				<u>'</u>	-				
7 0	I and a second and a second	odlan, Titter		in the second			d 05 0	nlugged	under my jurisdio	tion and
	Landowner's Certific					constructe			ander my junious	Alon and
was completed or	(mo/day/year)	9/13/19	ar	nd this record	s true to the	e best of my	knowledge and			
Kansas Water We	II Contractor's Licens	se No. 236		This water we	ell record wa	as completed	d on (mo/day/ye	ar) 9/1	6/19	
under the busines	sname of Harp	Well and Pu	mp Servic	e	by (s	ignature)	Τ	2.hh	. Hart)
1	P	A	-F		- '		- 1	JUNIO	. ILWIF	,