KOLAR Document ID: 1508597

WATER WELL	vision of Water		W 11 ID					
		ge in Well Use		sources App. N		Well ID	N. 1	
1 LOCATION OF V	NATER WELL:	Fraction		ection Number			nge Number	
County:		1/4 1/4 1/4		1 4 1 1	T S	R	□ E □ W	
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and								
Business: Address:  direction from nearest town or intersection): If at owner's address, check here:								
Address:								
City:	State:	ZIP:						
3 LOCATE WELL	4 DEPENDENCE COL			6	_			
WITH "X" IN	4 DEPTH OF COMPLETED WELL:							
SECTION BOX:	Depth(s) Groundwater Encountered: 1)			Longitude:				
N		3) It., or 4) ∟ TER LEVEL:					NAD 27	
		e, measured on (mo-day-			for Latitude/Longitude		,	
NW NE		, measured on (mo-day-						
NW  NE		vater was ft		☐ Land Survey ☐ Topographic Map				
$ \mathbf{w} $	· c 1	s pumping		Online Mapper:				
	Well v	Well water was ft.						
SW   SE	after hours pumping gpm			( Florestion:				
		Estimated Yield:gpm			6 Elevation:ft. ☐ Ground Level ☐ TOC Source: ☐ Land Survey ☐ GPS ☐ Topographic Map			
S	Bore Hole Diameter: in. to ft. and							
1 mile  in. to ft. Other								
7 WELL WATER TO BE USED AS:								
1. Domestic:		ater Supply: well ID			Field Water Supply: 1			
Household		ng: how many wells?						
☐ Lawn & Garden ☐ Livestock	1 - 1 - 1 - 3 - 1 - 1 - 1 - 1 - 1 - 1 -				☐ Cased ☐ Uncased ☐ Geotechnical  12. Geothermal: how many bores?			
2. ☐ Irrigation			a) Closed Loop    Horizontal    Vertical					
3. ☐ Feedlot	9. Environmental Remediation: well ID				b) Open Loop Surface Discharge Inj. of Water			
4. ☐ Industrial	☐ Recovery		zatraction					
Was a chemical/bacteriological sample submitted to KDHE?  Yes  No If yes, date sample was submitted:								
Water well disinfected?  No								
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:  ☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)								
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From								
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft., From ft.								
9 GROUT MATERIAL: Neat cement Cement Grout Bentonite Other.								
Grout Intervals: From								
Nearest source of possible contamination: No potential source of contamination within 200 ft.  ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well								
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well								
Other (Specify)								
10 FROM TO	LITHOLOG	GIC LOG	FROM	TO	LITHO. LOG (cont.) or	r PLUGGIN	G INTERVALS	
			1					
		Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   constructed,   reconstructed, or   plugged								
under my jurisdiction and was completed on (mo-day-year)								
Kansas water well Contractor's License No								
under the business name of								
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								
Visit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a> KSA 82a-1212								