KOLAR Document ID: 1512565

	WELL R			WWC-5		vision of Wat						
		Correction		ge in Well Use		ources App. 1			Well ID			
1 LOCATION OF WATER WELL:			Fraction		ction Number	er	Township Numb		ige Number			
						treet or Rural Address where well is located (if unknown, distance and						
Address: di						irection from nearest town or intersection): If at owner's address, check here:						
Address:												
City:			State:	ZIP:								
3 LOCAT		fi	ft. 5 Latitude :(decimal degrees)									
WITH "X" IN SECTION BOX:						Longitude:						
SECTIO			(1) ft. 3) ft., or 4) \Box Dry				Datum: WGS 84 NAD 83 NAD 27					
			WELL'S STATIC WATER LEVEL: ft.				Source for Latitude/Longitude:					
				-yr)	· 🗌 🖸		unit make/model:)			
NW	NE		Dabove land surface, measured on (mo-day-yr) Pump test data: Well water was ft.									
			ter hours pumping gpm				Land Survey Topographic Map					
W				Well water was ft.			Online Mapper:					
SW	SE	after		. hours pumping gpm								
				timated Yield:gpm			6 Elevation:ft. Ground Level TOC					
	S	Bore Hole Diameter: in. to ft. and				Source: Land Survey GPS Topographic Map						
1 r				in. to	ft.	□ Other						
7 WELL WATER TO BE USED AS:												
1. Domestic:	. Domestic: 5. □ Public Water Supply: well ID □ Household 6. □ Dewatering: how many wells?											
				g: well ID			al: how many bores					
	2. □ Irrigation 9. Environmental Remediation											
3.				e 🗌 Soil Vapor	Soil Vapor Extraction			b) Open Loop 🗌 Surface Discharge 🔲 Inj. of Water				
4. 🗌 Industr	rial		Recovery	Injection		13. 🗌 O	13. 🗌 Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
Water well disinfected? Yes No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.												
Casing height above land surface												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
Steel Steinless Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)												
\Box Louvered Shutter \Box Key Punched \Box Wire Wrapped \Box Saw Cut \Box None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.												
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
				ft., From	ft. to	ft., From	•••••	ft. to	ft.			
		e contaminati		potential source of cor					· 1 . C/			
☐ Septic ☐ Sewer			Lateral Line Cess Pool	es		Livestock Pe Fuel Storage			cide Storage oned Water			
	ight Sewer Lir			☐ Sewage La		Fertilizer Sto			ll/Gas Well			
□ Other (Specify)												
				Distance from w				ft.				
10 FROM	TO	I	ITHOLO	GIC LOG	FROM	TO	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS		
					Notor							
	<u>├</u>				Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged												
under my i	urisdiction ar	id was compl	eted on (n	no-day-year)	and	this record	is tru	ie to the best of m	y knowled	ge and belief.		
Kansas Wa	ter Well Con	tractor's Lice	ense No	This Wa	ater Well Red	cord was con	mple	ted on (mo-day-ye	ear)			
under the b	usiness name	<u>e of</u>	XX7 A (DEC)			1 5 2 *		1				
KS Departr				ELL OWNER and retain Vater, Geology Section, 10						2785-296-3565		
-	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdbeks.gov/waterwell/index.html KSA 82a-1212.											