			WATER W	ELL RE	CORD	Form W'	WC-5 K	(SA 82a-1	212			
1 ' 1	N OF WATE	R WELL:	FRACTION				CTION NUMBE	R TOWNS	SHIP NUMBER	RA	NGE NUM	IBER
Sedgy			NE 1/4		1/4 SW	1/4	11	<u> </u>	27 s	R	2W	E/W
		n nearest town or city s	street address of wel	I if located wit	hin city?							
	N. Black	stone Ct		ichita, K								
2 WATE	ER WELL C		USMEYER (CONSTR	RUCTION	Ī			Danida	f Ameiacolleuma Dictio	:6 \\/-:	h D
RR#,ST.	ADDRESS		8 W York						Board o	f Agriculture, Divis	ion of war	er Resource
	CITY,		ita, Kansas				ZIP CODE: 6	7215	Application	Number:		
	E WELL'S LO	CATION 4	DEPTH OF COMP	LETED WE	ELL:	70 ft.		ELEVATION	٧:			
WITHA	N N		oth of groundwater	r Encounter	ed:	1	ft.		ft.			ft.
Ш	1	, WE	ELL'S STATIC WA	ATER LEVE	L 27	FT. BEL	OW LAND SI	URFACE MEA	SURED ON	mo/day/yr:	2/19/2	20
	-NW	-NE	Pui	mp test data	a: Well w	ater was		ft. after	ŀ	ours of pumpin	g @	gpn
<u>u</u>			Est. Yield:	gpm	Well w	ater was		ft. after	ł	nours of pumpin	g @	gpm
Mile Wile	+	E Bo	ore Hole Diameter	12	in.	to	70 ft	. and	i	n.	to	ft.
-		WE	ELL WATER TO B	SE USED AS					9. Dew	atering 1	1. Injecti	on well
11	-sw	-SE 1.	Domestic 3.	Feedlot	5. Public w	ater supply	7. Lawn	and garden o	nly>	12. Ot	her (Spe	cify below
		1	-	Industrial			ly 8. Air co	nditioning		toring well		
	S		/as a chemical/bacte omitted	riological sam	ple submitted to	Department?		NO NO	•	es, what mo/d		
E TV		ING USED:	Jiiitea					Water Well Di		YES	NC	
<u> </u>	PE OF CAS I. Steel	3. RPM (SR	5. Wrought	Iron	7. Fiberglas	ss 9. (Other (Specif	y below) C	CASING JOIN		Т	Threaded
·	2. PVC	> 4. ABS	6. Asbestos	s-Cement	8. Concrete	tile SI	DR-26			Welded	(Clamped
									ъ.			_
	sing diamete	_		50 ft.,	Dia.	in.	to	ft.,	Dia.	in.	to	ft.
Casing h	eight above	land surface:	12 in.,		Weight:	2.35	lbs. / ft.	Wal	I thickness or	gauge No.	.214	
1		R PERFORATION		_								
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (s									•			
2. Bras	ss 4	. Galvanized	6. Concrete T	Γile	8. RMP (SR)) 10.	Asbestos-Ce	ment 12.	None used (d	pen hole)		
SCREEN	OR PERFO	RATION OPENING	SS ARE:									
1. Conti	nuous slot	3. Mill slo	ot 5. (Gauzed wra	apped	7. T	orch cut	9. 🖸	rilled holes	11. N	one (op	en hole)
2. Louve	ered shutte	r 4. Key pı	unched 6. V	Wire wrapp	ed	8. 8	aw cut	10. C	Other (specify	')		
CODEEN	DEDEODA	TION INTERVAL		50	cı .	to 70		_	`	•		
SCREEN -	FERFORA	TION INTERVAL	From				ft.,	From	ft.		to	ft.
			From			to	ft.,	From	ft.		to	ft.
G	RAVEL PA	CK INTERVALS:	From	24 1	ft.	to 70	ft.,	From	ft.		to	ft.
			From	f	ft.	to	ft.,	From	ft.		to	ft.
6 GROU	JT MATERI	ALS: 1. Neat of	cement	2. Ceme	ent Grout		3. Bentonite	·	Other h	entonite ho	le nluc	
	Intervals:	From 4	ft. to		t., From	f		ft.,	From	ft.	to	₹ ft.
What is the nearest source of possible contamination:					·							
1. Septic tank 4. Lateral lines 7. Pit privy 1						10. Livesto	0. Livestock pens		13. Insecticide storage		15. Oil well/Gas well	
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage								14. Ab a	ındon water v	well 16. Ot	er (spe	cify below)
(3. Water	rtight sewe	r line 6. Seepag	ge pit 9	. Feed yard	i	12. Fertiliz	er storage					
	from well?	West						How	many feet?	50 ft. plus		
From	То		LITHOLOGIC	CLOG		From	То			DLOGÍC LO)G	
0	3	topsoil										
3	32	clay										
32	41	fine sand										
41	57	clay					_					
57	80	medium sand										
	<u> </u>											
								<u> </u>				
<u> </u>	 						+					
	 						+	-				
	l					_					·	
						1			 			
							1	1				
7 Cont	tractor's or I	andowner's Certific	cation: This water	well was 1	construct	ed 2. I	econstructe	d or 3.	plugged	under my j	ırisdictio	n and
		(mo/day/year)	2/19/2020							andor my j		, and
	-			6			•	knowledge a				
Kansas	Water Well	Contractor's Licens	se No. 236		This water	well record v	vas complete	d on (mo/day/	year)	2/20/2020		