	WATER	WELL R	ECORD I	orm W	WC-5 K	SA 82a-	1212				
1 LOCATION OF WATER WELL:	FRACTION				SECTION NUMBER		ISHIP NUMBER	. R/	RANGE NUMBER		
Sedgwick		1/4 SW	1/4 <b>SE</b>	1/4	13	Т	<b>27</b> S	R	2W	E/W	
Distance and direction from nearest town 705 N. Firefly	Wichita, F		within city?								
	H & H HOME		RS INC.								
hamad	3530 N. Beach						Board	of Agriculture, Divi	sion of Wa	ter Resource	
CITY, STATE:	Wichita, Kansa	S		;	ZIP CODE: 6	7205	Application	on Number:			
3 LOCATE WELL'S LOCATION	4 DEPTH OF CO	MPLETED V	WELL: 10	<b>00</b> ft.		ELEVATIO	N:				
WITH AN "X" IN SECTION BOX:	Depth of groundw	ater Encount	tered:		ft.		ft.			ft.	
	WELL'S STATIC	WATER LEV	/EL 25	FT. BEL	OW LAND SU	JRFACE ME	ASURED ON	mo/day/yr:	4/15/2	20	
		Pump test d	ata: Well wa	iter was		ft. after	r	hours of pumpir	ıg @	gpm	
M Mile	Est. Yield:	gpm	•	ater was	100	ft. after		hours of pumpir		gpm	
5 M	Bore Hole Diam WELL WATER T			to	100 ft.	and		in.	to 11. <b>Inject</b> i	ft. ion well	
SW - SE	1. Domestic	3. Feedlot		ater supply	7. Lawn a	and garden	only 9. Dew	atomy	-	cify below)	
	2. Irrigation	4. Industria	al 6. Oil field v	vater supp	ly 8. Air cor	ditioning		nitoring well			
S	Was a chemical/b	acteriological s	ample submitted to	Department?		NO Vater Well D		yes, what mo/d	lay/yr wa NC	•	
5 TYPE OF CASING USED:			·····		-		CASING JOIN	=		Threaded	
	M (SR) 5. Wrot	ight Iron	7. Fiberglass	•	Other (Specify	( below)	CASING JOIN	Welded		Clamped	
2. PVC 4. AB	S 6. Asbe	stos-Cement	t 8. Concrete	tile SI	OR-26					Į.	
Blank casing diameter	5 in. to	24 ft	t., Dia.	in.	to	ft.,	Dia.	in.	to	ft.	
Casing height above land surface		•1	Weight:	2.35	lbs. / ft.	Wa	all thickness o	r gauge No.	.214		
TYPE OF SCREEN OR PERFORA  1. Steel 3. Stainless St			7. PVC	0	ABS	11	. Other (speci	i6.A			
2. Brass 4. Galvanized	teel 5. Fibergl 6. Concre		8. RMP (SR)		Asbestos-Cei		2. None used (	•			
SCREEN OR PERFORATION OP			v	10.	, 10000100 001			opon noio,			
	Mill slot	5. Gauzed v	vrapped	7. <b>T</b>	orch cut	9. 1	Drilled holes	11. 1	lone ( op	en hole)	
2. Louvered shutter 4. I	Key punched	6. Wire wra			aw cut		Other (specif				
SCREEN - PERFORATION INTER		24	•					31			
SCREEN - PERFORATION INTER	VAL From From	24	ft. to		ft.,	From	ft.		to	ft.	
GRAVEL PACK INTERVA		80		。 。 100	ft.,	From	ft.		to	ft.	
ON THE PROPERTY	From	00		0	ft.,	From	ft.		to	ft.	
6 GROUT MATERIALS: 1.					ft.,	From	ft. Other ]	h4!4- h	to	ft.	
Grout Intervals: From	Neat cement ft.	to 2. Cei	ment Grout ft., From		3. Bentonite			bentonite ho	oie piug		
What is the nearest source of possi				f		ft.		10.			
1. Septic tank 4. Lateral lines					0. Livestock pens 13. Inse			ecticide storage 15. Oil well/Gas well			
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (spec							city below)				
3. Watertight sewer line 6. S Direction from well? Eas	Seepage pit +	9. <b>Feed ya</b>	ard	12. Fertiliz	er storage	1.1		20 ft mlug			
From To	LITHOLOG	GIC LOG		From	То	Hov		20 ft. plus OLOGIC LO	<u> </u>		
0 3 topsoil	2020	0.0 200		1 10111	<del>                                     </del>		<u> </u>	<u>JEOOIO EC</u>	<del>/</del>		
3 22 clay											
22 41 fine sand				<del> </del>	+			·			
78 100 medium	sand				<del> </del>		••••				
			·	<del>                                     </del>	-						
		<del></del> . <u>.</u>									
				<del>-</del>	1						
					1			<u> </u>			
7 Contractor's or Landowner's	Certification: This wa	ater well was	1. Constructe	d) 2, r	econstructed	or 3.	plugged	under my j	jurisdictio	n and	
was completed on (mo/day/year	414.510.0		and this record	-		-				-	
Kansas Water Well Contractor's	,				as completed			5/4/2020			
		)			,	, -					
under the business name of Harp Well and Pump Service by (signature)  Todd S. Harp											