WATER WELL RECORD	Form WV	VC-5 K	SA 82a-1	212		
1 LOCATION OF WATER WELL: FRACTION		TION NUMBE				
Sedgwick NE 1/4 SE 1/4 SE	E 1/4	22	Т	27 s	R 2	W E/W
Distance and direction from nearest town or city street address of well if located within city? 173 Ciderbluff Ct Wichita, Kansas						
2 WATER WELL OWNER: SHARP HOMES						
RR#,ST. ADDRESS,BOX #: 2131 N. Collective Ste #A				Board of Agr	iculture, Division of	Water Resource
CITY, STATE: Wichita, Kansas		P CODE: 6	7206	Application Nur	nber:	
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	116 ft.		ELEVATION	1:		
Depth of groundwater Encountered:	ft.			ft.		ft.
WELL'S STATIC WATER LEVEL 30		W LAND SU		SURED ON mo/o		1/20
	water was		ft. after		of pumping @	gpm
Est. Yield: gpm Well Bore Hole Diameter 12 in.	water was to 1	1 16 ft	ft. after . and	nours in.	s of pumping @ to	gpm ft.
WELL WATER # SE-OSED AS:			-	0 Dewateri	44 (-1.	ection well
	water supply			nly	12. Other (S	Specify below)
2. Irrigation 4. Industrial 6. Oil field Was a chemical/bacteriological sample submitted	d water supply	/ 8. Aircom YES	nditioning NO	10. Monitorii	ng well what mo/day/yr	was sample
submitted	to Department:		Water Well Dis		YES	NO
TYPE OF CASING USED: 5. Wrought Iron 7. Fibergla	ass 9. O	ther (Specify	/ below) C	ASING JOINTS:	Glued	Threaded
1. Steel 3. RPM (SR)					Welded	Clamped
4.7.00		4-	4	Dia.	10 40	4
hela.	in.	to	ft.,	30 E SOL	in. to	ft.
Casing height above and surface: in., Weight: TYPE OF SCREEN OR PERFORATION MATERIAL:	Įį	bs. / ft.	wai	I thickness or gau	ge No.	
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC	9. A	ABS	11.	Other (specify)		
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SF	₹) 10. A	sbestos-Ce	ment 12.	None used (open	hole)	
SCREEN OR PERFORATION OPENINGS ARE:						
1. Continuous slot 3. Mill slot 5. Gauzed wrapped	7. To	rch cut	9. D	rilled holes	11. None (open hole)
2. Louvered shutter 4. Key punched 6. Wire wrapped	8. Sa	w cut	10. 0	ther (specify)		
SCREEN - PERFORATION INTERVAL From 40 ft.	to 116	ft.,	From	ft.	to	ft.
From ft.	to	ft.,	From	ft.	to	ft.
GRAVEL PACK INTERVALS: From 24 ft.	to 116	ft.,	From	ft.	to	ft.
From ft.	to	ft.,	From	ft.	to	ft.
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout	;	3. Bentonite)	Other bent	onite hole pl	lug
Grout Intervals: From 3 ft. to 23 ft., From	m ft.	to	ft.,	From	ft. to	ft.
What is the nearest source of possible contamination: 1. Septic tank 4. Lateral lines 7. Pit privy	10. Livestoc	k pens	13. Inse	cticide storage	15. Oil well/	Gas well
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify be						pecify below)
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage						
Direction from well?			How	many feet?		
From To LITHOLOGIC LOG	From	То			GIC LOG	
	3	23	compacte			
	23	116	chlorinate	hole plug		
		-				****
						
7 Contractor's or Landowner's Certification: This water well was 1. construc		sonstm:-t-	1 05 0 /	plugged	under my luded:-	tion and
(/11/2020		constructed			under my jurisdic	MOII dilu
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 6/15/2020						
under the business name of Harp Well and Pump Service by (signature) Todd S. Harp						