KOLAR Document ID: 1532449

WATER W		ECORD Correction		WWC-5 e in Well Use			of Water App. No.		Well ID		
1 LOCATIO				Fraction			Number	Township Numb		ge Number	
County: ^{1/4}					~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	1 0					
						treet or Rural Address where well is located (if unknown, distance and rection from nearest town or intersection): If at owner's address, check here:					
Address:						rection nominearest town of intersection). If at owner 3 address, encer here.					
Address: City:			ZIP:	ZIP.							
3 LOCATE V											
WITH "X"		4 DEPTH OF COMPLETED WELL: Depth(s) Groundwater Encountered: 1)									
SECTION I	BOX:	2) ft. 3) ft., or 4) 🗌 Di				Datum: □ WGS 84 □ NAD 83 □ NAD 27					
		WELL'S STATIC WATER LEVEL:					Source for Latitude/Longitude: □ GPS (unit make/model:)				
NW	NE	above land surface, measured on (mo-day-yr)					(WAAS enabled? Yes No)				
		Pump test data: Well water was ft.					Land Survey Topographic Map				
W	E	after hours pumping					Online Mapper:				
	SW SE after hou			s pumping gpm							
		Estimated Yield:gpm				6 Elevation:ft. □ Ground Level □ TOC <u>Source</u> : □ Land Survey □ GPS □ Topographic Map					
1 mile	;	Bore Hole Diameter: in. to fu									
7 WELL WATER TO BE USED AS:											
1. Domestic: 5. □ Public Water Supply: well ID □ Household 6. □ Dewatering: how many wells?											
			7. ☐ Aquifer Recharge: well ID								
	Livestock 8. Monitoring:			g: well ID	: well ID			mal: how many bore	s?		
2. Irrigation 9. Environmental Rem 3. Feedlot Interpretation						•	a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water				
4. \Box Industrial \Box Recover				Soil Vapor Extraction Injection			13. Other (specify):				
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
Water well disinfected? Yes No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
Continuous Slot I Mill Slot Gauze Wrapped Torch Cut I Drilled Holes Other (Specify)											
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From											
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From											
Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage											
□ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well											
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)											
				Distance from v						<u></u>	
10 FROM	ТО	L	ITHOLOG	GIC LOG	FROM	Т	0 L	ITHO. LOG (cont.) or	PLUGGIN	<u>GINTERVALS</u>	
					Notes:	•					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged											
under my juris	sdiction an	d was compl	eted on (n	no-day-year) This W	ar	d this r	ecord is	true to the best of m	y knowled	ge and belief.	
				This W							
	S	Send one copy to	WATER W	ELL OWNER and retair	n one for your 1	ecords. F	Fee of \$5.0	0 for each constructed we	ell.		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdbeks.gov/waterwell/index.html KSA 82a-1212											