r		WATER	WELL F	RECOR	D Fo	orm WV	VC-5 I	KSA 82a-1					
1 LOCATION OF WAT	FRACTION NIE CX			OTT?		TION NUMBE		HIP NUMBER	RANGE NUMBER R 2W E/W				
Sedgwick			1/4 NE		SW	1/4	11	T	27 S	R	2 VV E	744	
Distance and direction fro		street address o											
1738 N. Blac		USMEYE		a, Kans				<u> </u>					
2 WATER WELL RR#,ST. ADDRES		8 W. York		IRUC	11011				Board of A	griculture, Divisio	on of Water R	esource	
1		ita, Kansa				ZI	P CODE:	67205	Application N	umber:			
3 LOCATE WELL'S L		DEPTH OF CO		WELL	70			ELEVATION	:				
WITH AN "X" IN SE	CTION BOX:	oth of groundw				ft.			ft.			ft.	
N N	`	ELL'S STATIC			25			SURFACE MEA	SURED ON mo	/dav/vr:	6/25/20		
	NE		Pump test		Well wate			ft. after		rs of pumping		gpn	
	142	Est. Yield:	gpr		Well water			ft. after	hou	irs of pumping	@	gpm	
w Wile	————— E Во	ore Hole Diam	eter	12 in.		to	70 i	ft. and	in.		to	ft.	
- <u> </u>	J_ 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ELL WATER T		DAS:					9. Dewate	g	. Injection		
sw	1 1	Domestic	3. Feedlo					and garden o	ייצוני 10. Monito		er (Specify	below	
	:	. Irrigation /as a chemical/b	4. Industr				/ 8. AUF CO YES	onditioning NO		, what mo/day	y/yr was sa	mple	
s		bmitted	acteriological	sample sub	milled to De	spartflent:		Water Well Dis	infected?	YES	NO		
5 TYPE OF CA	SING USED:	5 M/so:	ught Iron	7 51	berglass	9. O	ther (Speci	fy below) C	ASING JOINTS	Glued	Thre	aded	
1. Steel	3. RPM (SF	₹)	•		•	SD.	R-26	, ,		Welded	Clan	nped	
2. PVC	> 4. ABS	6. Asbe	estos-Cemer	nt 8. Co	oncrete tile	3 31	14-20						
Blank casing diame	ter 5	in. to	50	ft.,	Dia.	in.	to	ft.,	Dia.	in. to	0	ft.	
Casing height abov	e land surface:	12 in	.,	Wei	ight: 2	2.35 II	bs. / ft.	Wall	thickness or ga	uge No.	.214		
· ·	OR PERFORATION				_			44	O# (:£.)				
1. Steel	3. Stainless Steel	5. Fibergl		7. PV		9. A	_		Other (specify)	- 5-1-1			
2. Brass	4. Galvanized	6. Concre	ete i ile	8. RM	IP (SR)	10. A	sbestos-Ce	ement 12.	None used (ope	en noie)			
	ORATION OPENING									44.81-			
1. Continuous sk	ot 3. Mill slo	ot	5. Gauzed	wrapped		7. To	rch cut	9. D	rilled holes	11. NO	ne (open l	1016)	
2. Louvered shut	ter 4. Key pı	unched	6. Wire wr	apped		8. Sa	w cut	10. O	ther (specify)				
SCREEN - PERFOR	ATION INTERVAL	From	50	ft.	to	70	ft.,	From	ft.	to	0	ft.	
		From		ft.	to		ft.,	From	ft.	to	0	ft.	
GRAVEL P	ACK INTERVALS:	From	24	ft.	to	70	ft.,	From	ft.	to	0	ft.	
		From		ft.	to		ft.,	From	ft.	to	0	ft.	
6 GROUT MATER	RIALS: 1. Neat	cement	2. C c	ement Gro	out		3. Bentonii	te	Other bea	ntonite hol	e plug		
Grout Intervals:	From	ft.				ft.	to	ft.,	From	4 ft.	to 24	ft.	
What is the nearest	,		ntamination:). Livestoc	k nens	13 Inco	•			الم	
1. Septic tank	4. Lateral	0.0							48. Other (enecify below)				
2. Sewer lines	5. Cess F	Pool	_	_		1. Fuel sto	_	14. ADai	ndon water we	11 10101	(0,00)	20.0,	
3. Watertight sew		ge pit	9. Feed y	yard	12	2. Fertilize	r storage	Цели	manu faata 16) ft plus			
Direction from well? From To		LITHOLO	GICTO	2		From	То	Tow	many feet? 10	OGIC LO	<u> </u>		
0 3	topsoil	LITTIOLO	GIO LOC			1 10111	'0		LITTIOL	OGIC LO	<u> </u>		
3 23	clav												
23 41	fine sand								·				
41 49	clay							ļ					
49 70	medium sand					····	 	 					
							<u> </u>	 					
—								 					
							-	 					
 			· · · · · · · · · · · · · · · · · · ·				1	 					
		· · · · · ·			\dashv			 					
7 Contractor's or	Landowner's Certific	cation: This w	ater well wa	s 1. Con	structed) 2. re	construct	ed or 3.	plugged	under my jui	risdiction ar	nd	
was completed or		6/25/20						y knowledge an					
								ed on (mo/day/y		29/2020			
	ell Contractor's Licen				MOIG! ME!		-						
under the busines	s name of Harp	Well and l	Pump Sei	rvice		by (s	ignature)	7	rodd:	s. Ha	ND .		