	WATER W	ELL RECORD	Form W\	NC-5 K	SA 82a-121	2			
1 LOCATION OF WATER WELL:	FRACTION			SECTION NUMBER		TOWNSHIP NUMBER		RANGE NUMBER	
Sedgwick	NE 1/4		W 1/4	11	Т 27	<u> </u>	R 2W	E/W	
Distance and direction from nearest tow									
1742 N Blackstone Ct.			NAT.						
2 WATER WELL OWNER:	KLAUSMEYER (CONSTRUCTION	M			Board of Agric	culture, Division of Water	er Resource	
RR#,ST. ADDRESS,BOX #:	10008 W. York Wichita, Kansas		-	IP CODE: 6	7205	Application Num	her:		
CITY, STATE:			70 ft.	IP CODE: 0	ELEVATION:	Application None	Dei.		
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMP				ELEVATION.	4		ft.	
N N	Depth of groundwater		f			ft.	av/vr: 6/25/2		
	WELL'S STATIC WA			OW LAND SU	RFACE MEASU		- , ,		
NWNE			l water was		ft. after ft. after		of pumping @ of pumping @	gpm gpm	
W Wile	Est. Yield: Bore Hole Diameter	10	II water was to	70 ft.		in.	to	ft.	
=	WELL WATER TO B		10			9. Dewaterir	44 1.1		
swse	1	Feedlot 5. Public	water supply	7. Lawn a	nd garden only	> Dewatern	12. Other (Spec		
	2. Irrigation 4.	Industrial 6. Oil fle	ld water suppl	y 8. Air con	ditioning	10. Monitorin	g well	-	
S		nological sample submitte	d to Department?	YES	NO		vhat mo/day/yr was	-	
	submitted			Was W	Vater Well Disinfo				
5 TYPE OF CASING USED 1. Steel 3. R	: SPM (SR) 5. Wrought	Iron 7. Fiberg	lass 9. C	Other (Specify	below) CAS	NG JOINTS: C		hreaded	
2. PVC 4. A	0.4-64	s-Cement 8. Concre	ete tile SD	R-26			Welded C	Clamped	
Blank casing diameter		50 ft., Dia.	in.	to	ft., [Dia. i	n. to	ft.	
Casing height above land surface	10				,				
TYPE OF SCREEN OR PERFOR	,	Weight:	2.33	lbs. / ft.	wan un	ckness or gaug	e No214		
1. Steel 3. Stainless		7. PVC	9. /	ABS	11. Oth	er (specify)			
2. Brass 4. Galvanize	_	ile 8. RMP (S	SR) 10. /	Asbestos-Cen	nent 12. No	ne used (open l	hole)		
SCREEN OR PERFORATION O	DENINGS ADE:								
		Gauzed wrapped	7. T e	orch cut	9. Drille	d holes	11. None (ope	en hole)	
		• •		aw cut		r (specify)	•	·	
2. Louvereu snutter 4.	. Key punched 6. \	Wire wrapped	_	aw cut	io. Othe	(specify)			
SCREEN - PERFORATION INTE	RVAL From	50 ft.	to 70	ft.,	From	ft.	to	ft.	
	From	ft.	to	ft.,	From	ft.	to	ft.	
GRAVEL PACK INTERV	'ALS: From	24 ft.	to 70	ft.,	From	ft.	to	ft.	
	From	ft.	to	ft.,	From	ft.	to	ft.	
6 GROUT MATERIALS: 1	. Neat cement	2. Cement Grout		3. Bentonite		Other bente	onite hole plug		
Grout Intervals: From	ft. to	ft., Fro	om ft	. to	ft.,	From 4	ft. to 2	` .	
What is the nearest source of pos	7	Dia nahar	10 Livesto	ck nane	42 Imposti	lda atauana	15. Oil well/Gas	e wall	
1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticid						_	16. Other (spec		
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well									
		. Feed yard	12. Fertilize	er storage		10.6	None Apparent		
Direction from well?	North	31.00	1	T == T	How ma	ny feet? 10 f			
From To	LITHOLOGIC	LOG	From	То		LITHOLO	GIC LOG		
0 3 topsoil 3 23 clay				1					
23 41 fine san	ď			1					
41 49 clay									
49 70 medium	sand			1					
				ļ					
		<u> </u>		 					
				1					
						<u> </u>			
7 Contractor's or Landowner's	s Certification: This water	well was 1. constru	cted 2. re	econstructed	l or 3. F	lugged (under my jurisdictior	ı and	
was completed on (mo/day/yea	ar) 6/25/2020	and this red	cord is true to the	e best of my	knowledge and b	eļief.			
Kansas Water Well Contractor		This water	er well record w	as completed	on (mo/day/year	6/29	/2020		
1				•			_		
under the business name of	Harp Well and Pun	np Service	by (s	signature)	10	raas	. Harp		