		WATER W	ELL RECORD	Form	WWC-5	KSA 82	a-1212			
1 LOCATION OF WATE	R WELL:	FRACTION			SECTION N	UMBER T	OWNSHIP NUMBE	R	RANGE NU	
Sedgwick		SW 1/4		NW 1/4	36		r 27 s	<u> </u>	R 2W	EW
Distance and direction fro 12906 W. Jev		- 1	•							
2 WATER WELL C		Wichita, Ka	CONSTRUCT	ION						
RR#,ST. ADDRESS		008 W. York	,				Boar	d of Agricultur	e, Division of W	ater Resource
1		chita, Kansas	:		ZIP COI	DE: 67235	, Applica	tion Number:		
3 LOCATE WELL'S LO	ocation 4	DEPTH OF COME	PLETED WELL:	86	ft.	ELEVA	ATION:			
WITH AN "X" IN SEC		근 Depth of groundwate	r Encountered:		ft.	;	ft.	'		• ft.
	<u> </u>	WELL'S STATIC WA	ATER LEVEL 3	1 FT. I	BELOW LAI	ND SURFACE	MEASURED O	N mo/day/yı	: 9/23/	/20
NW	NE	Pu	mp test data: W	ell water was	;	ft.	after	hours of p	umping @	gpm
w × ×		Est. Yield:	Or .	Vell water was		ft.	after	hours of p	umping @	gpm
	E .	Bore Hole Diamete			to 86	ft.	and	in.	to	ft.
sw · -	se	WELL WATER TO E 1. Domestic 3.		olic water su	oply C7. L	awn and gard	gen only 9. De	watering	11. Injec 12. Other (Sp	tion well
				field water s		ir conditionir		onitoring w		ecily below)
S			riological sample submi		ent? Y				mo/day/yr w	-
5 7/05 05 04		submitted				Was Water W	ell Disinfected?	(YE		10
5 TYPE OF CAS	SING USED; 3. RPM (SR) 5. Wrought	t Iron 7. Fibe	rglass	9. Other (S	specify below)	CASING JO		ued)	Threaded
2. PVC) 4. ABS	6. Asbesto	s-Cement 8. Con	crete tile	SDR-26			We	ided	Clamped
Blank casing diameter		in. to	34 ft., D	ia.	in. to	o ft.	. Dia.	in.	to	ft.
Casing height above		12 in.,	Weigh		lbs. / ft.		Wall thickness			
TYPE OF SCREEN			v veigi	11. 2.00	105.711.		AANI UNICKI 1699	or gauge No	214	
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)										
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)										
SCREEN OR PERFO	DRATION OPENII	NGS ARE:								
1. Continuous slot	t 3. Mill	slot 5.	Gauzed wrapped		7. Torch cu	nt	9. Drilled hole	s	11. None (o	pen hole)
2. Louvered shutte	er 4. Key	punched 6.	Wire wrapped		8. Saw cut	>	10. Other (spec	ify)		
SCREEN - PERFORA	ATION INTERVAL	L From	34 ft.	to 8	36 ft.,	Fro	m fi	•	to	ft.
		From	ft.	to	ft.,	Fro		-	to	ft.
GRAVEL PA	CK INTERVALS:		24 ft.		36 ft.,	Fror	•		to	' ft.
1		From	ft.	to	ft.,	Fro			to	ft.
6 GROUT MATER	IALS: 1 Nos	et cement	2. Cement Grou		3. Ben		Other	· · · · · · · · · · · · · · · · · · ·	te hole plu	
Grout Intervals:	From	`ft. to		rom	s. ben ft.	to	ft., Fron		t. to ?	e e
What is the nearest se		contamination:	•				•			
1. Septic tank	4. Late	I al IIII GO	7. Pit privy		estock pen		. Insecticide sto		5. Oil well/G: 6. Other (spe	
2. Sewer lines	5. Cess	J 1 001	S. Sewage lagoon		el storage		. Abandon wate	er well	io. Ouier (spi	icily below)
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage Direction from well? How many feet? 10 ft. plus								1		
Direction from well? From To	South	LITHOLOGIC	CLOG	Fre	m I T	· ·		OLOGIC		· · · · · · · · · · · · · · · · · · ·
0 3	topsoil	LITTIOLOGIC	<u>C LOG</u>		1	<u> </u>		TOLOGIC	<u> LOG</u>	
3 30	clav									
30 39	fine sand									
39 86	grey shale									····
										
								,		,
		,								
		<u> </u>								· · · · · · · · · · · · · · · · · · ·
	}									
	:									
							and Park			
7 Contractor's or	Landowner's Cert	tification: This water	well was 1. const	ructed 2	reconst	ructed or	3. plugged	d unde	r my jurisdicti	on and
was completed on	(mo/day/year)	9/23/2020	and this	record is true	to the best	of my knowled	lge and belief.			
Kansas Water Wel	l Contractor's Lice	ense No. 236	This w	ater well reco	rd was com	pleted on (mo	/day/year)	9/25/202	20	
under the business name of Harp Well and Pump Service by (signature) Todd S. Hovb										