		WATER	WELL RE	CORD	Form WV	VC-5 K	SA 82a-1	212			
1 LOCATION OF WATE						SECTION NUMBER TOWNSHIP NUMBER					
Sedgwick		NE 1/	<u> </u>	1/4 SW	1/4	11	<u> </u>	27 S	R	2W	E/W
Distance and direction from				thin city?							
2 WATER WELL C		LAUSMEYER	, Kansas	DUCTION	T						
RR#,ST. ADDRESS		008 W. York	,const	RUCTION	•			Board of A	griculture, Divisio	n of Wate	r Resource
1		earwater, Kai	nsas		7	IP CODE: 6	7215	Application N	ımber:		
3 LOCATE WELL'S LO		4 DEPTH OF CO		=1.1 ·	70 ft.	IF CODE.	ELEVATION		anibor.		
WITH AN "X" IN SEC	CTION BOX:	Depth of groundwa			ft		LLLVAIIO	r. ft.			ft.
l F		WELL'S STATIC					IDEACE MEA	ASURED ON mo	Idouber 1	2/18/2	
NW	NE		Pump test data		ater was	W DAND SC	ft. after		rs of pumping		gpm
1 1 1	i i	Est. Yield:	gpm		ater was		ft. after		rs of pumping	_	gpm
w Wile	E	Bore Hole Diame				70 ft.		in.		0	ft.
- X		WELL WATER TO	BE USED AS					9 Dewate	rina 11.	Injectio	
sw	9E	1. Domestic	3. Feedlot	5. Public w	ater supply	7. Lawn a	and garden o	only	-	er (Spec	ify below)
		2. Irrigation	4. Industrial		water supply	•	nditioning	10. Monitor	•	a	
s		Was a chemical/ba submitted	cteriological sam	nple submitted to	Department?	YES	NO Water Well Di	•	, what mo/day	yr was	sample
5 TYPE OF CAS	SING USED:						·		=		readed
1. Steel	3. RPM	(SR) 5. Wroug	tht Iron	7. Fiberglass	•	ther (Specify	(below)	CASING JOINTS:	Welded		lamped
2. PVC	> 4. ABS	6. Asbes	tos-Cement	8. Concrete	tile SD	R-26			vvelueu	C	ampeu
Blank casing diamete	er 5	in. to	70 ft.,	Dia.	in.	to	ft.,	Dia.	in. to)	ft.
Casing height above	and surface:	12 in.,		Weight:	2.35	bs. / ft.	Wa	I thickness or ga	uge No.	214	
TYPE OF SCREEN	OR PERFORAT	ION MATERIAL:									
1. Steel	3. Stainless Stee	el 5. Fibergla	ss 🤇	7. PVC	9. A	ABS	11.	Other (specify)			
2. Brass	1. Galvanized	6. Concrete	e Tile	8. RMP (SR)	10. A	Asbestos-Cer	ment 12.	None used (ope	n hole)		
SCREEN OR PERFO	RATION OPEN	IINGS ARE:									
1. Continuous stot	3. Mi l	i slot	5. Gauzed wr	apped	7. T c	orch cut	9. 0	rilled holes	11. No	ne (ope	n hole)
2. Louvered shutte	er 4. Ke	y punched (6. Wire wrapp	oed	(8. Sa	w cut	10. C	Other (specify)			
SCREEN - PERFORA	ATION INTERVA	AL From	50	ft. t	70						
CONTENT EN ON	THO IN INTERVA					ft.,	From	ft.	to		ft.
GRAVEL DA	CK INTERVALS	From			o o 70	ft.,	From	ft.	to		ft.
CIVALLIA	OK INTERVAL	110111				ft.,	From	ft.	to	1	ft.
o COOUT MATER	141.0:	From		ft. 1	0	ft.,	From	ft.	to		ft.
6 GROUT MATER	1. 140	eat cement		ent Grout		3. Bentonite	•	Other ber	tonite hole		
Grout Intervals: What is the nearest se	From		to f	t., From	ft.	to	ft.,	From	4 ft.	to 24	ft.
1. Septic tank		eral lines	7. Pit privy		10. Livesto	k pens	13. ins e	ecticide storage	15. Oil v	ell/Gas	well
2. Sewer lines	5. Ce s	ss Pool	8. Sewage I	agoon	11. Fuel sto	rage	14. Ab a	andon water wel	16. Othe	r (speci	ify below)
3. Watertight sewe	er line 6. Sec	epage pit	9. Feed yard	đ	12. Fertilize	r storage					
Direction from well? North							How	many feet? 40	ft. plus		
From To		LITHOLOG	IC LOG		From	То			OGÍC LO	3	
0 3	topsoil										
3 30	clay										
30 40 40 70	fine sand medium sa	and .			+	 					
	Integralia Sa	illu									
<u> </u>											
	<u> </u>										
	 				+	 					
	 				+	 					
					+	1					
	L										
7 Contractor's or	Landowner's Ce	ertification: This wa	ter well was 1	constructe	d) 2. re	constructe	d or 3.	plugged	under my jur	isdiction	and
was completed on	(mo/day/year)	12/18/20	20	and this record	is true to the	e best of my	knowledge a	nd belief.			
Kansas Water Wel	Contractor's Lie	cense No. 236					d on (mo/day/		21/2020		
I			S '								
under the business	mail mai	h wen and b	ump servi	ice	by (s	ignature)		Todds	s. Ha	rD	