		WATER WE	LL RECORD	Form WW	/C-5 KS	SA 82a-1212	2			
1 LOCATION OF W	VATER WELL:	FRACTION			TON NUMBER	1		RANGE NU		
Sedgwick		SE 1/4	NE 1/4 SV	V 1/4	11	T 27	S	R 2W	E/W	
1	on from nearest town or city		•							
1626 N. BI	2	Wichita,		N						
	R WELL OWNER: KLAUSMEYER CONSTRUCTION DDRESS,BOX #: 10008 W. York Board of Agriculture, Division of Water Resource									
RR#,ST. ADDRESS,BOX #: 10008 W. York CITY, STATE: Wichita, Kansas ZIP CODE:							Application Number:			
-			ETED MELL.	70 ft.	P CODE.	ELEVATION:	Application Hum	Del.		
LOCATE WELL WITH AN "X" IN	N SECTION BOX:	DEPTH OF COMPLI				ELEVATION.				
1		epth of groundwater E		ft.			ft.	. 10/2/	ft.	
		VELL'S STATIC WAT			W LAND SU	RFACE MEASU			_ •	
NW -	NE	Pump Est. Yield:	-	water was		ft. after ft. after		of pumping @	gpm gpm	
w Mile		Bore Hole Diameter	gpm Well 12 in.	water was to 7	'0 ft.	and	in.	of pumping @ to	ft.	
-		VELL WATER TO BE		10 /		and		44 Interes		
sw										
	2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well									
Was a chemical/bacteriological sample submitted to Department? YES NO ; If yes, what mo/day/yr was sample submitted was Was Water Well Disinfected? YES NO										
E TYPE OF		ubmitted				Vater Well Disinfo				
5 TYPE OF 1. Steel	CASING USED: I 3. RPM (S	5. Wrought Ir	on 7. Fibergla	ass 9. Of	ther (Specify	below) CAS	ING JOINTS:		Threaded	
2. PVC		6. Asbestos-	Cement 8. Concre	te tile SD	R-26			Welded	Clamped	
Blank casing dia		in. to 5	0 ft., Dia.	in.	to	ft., I	Dia.	in. to	ft.	
1	above land surface:	12 in.,								
1 ' '		,	Weight:	4.35 H	bs. / ft.	vvaii thi	ckness or gaug	e No214		
TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)										
2. Brass	4. Galvanized	6. Concrete Tile	8. RMP (S	R) 10. A	sbestos-Cen	nent 12. No	ne used (open	hole)		
SCREEN OR DE	ERFORATION OPENIA	ICC ADE:	•	,				•		
1. Continuous			auzed wrapped	7 To	rch cut	9 Drille	ed holes	11. None (or	oen hole)	
			• • •							
2. Louvered si	nutter 4. Key	punched 6. W	ire wrapped	8. Sa	w cut	10. Othe	r (specify)			
SCREEN - PERF	FORATION INTERVAL	. From	50 ft.	to 70	ft.,	From	ft.	to	ft.	
		From	ft.	to	ft.,	From	ft.	to	ft.	
GRAVE	L PACK INTERVALS:	From	24 ft.	to 70	ft.,	From	ft.	to	ft.	
		From	ft.	to	ft.,	From	ft.	to	ft.	
6 GROUT MA	TERIALS: 1 Nea	t cement	2. Cement Grout		3. Bentonite		Other hent	onite hole plu	σ	
Grout Interva	als: From	ft. to	ft., Fro		to	ft.,	From 4	ft. to 2	•	
	est source of possible of		Dit and a					45 00		
1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/Gas										
2. Sewer lines	5. Cess	Pool 8.	Sewage lagoon	11. Fuel sto	rage	14. Aband	on water well	16. Other (spe	city below)	
3. Watertight		page pit 9. I	Feed yard	12. Fertilize	r storage		10	P4 . 1		
Direction from w		LITUOLOGIC	100	T F====	T	How ma	ny feet? 10 f			
From T		LITHOLOGIC	LUG	From	То		LITHOLC	GIC LOG		
3 2					 					
22 4					 					
42 7	0 medium san	d								
					<u> </u>					
-			·							
1-1						L				
Contractor	r's or Landowner's Cert		vell was 1 constru	cted 2. re	constructed	d or 3.	plugged	under my jurisdicti	on and	
was complete	ed on (mo/day/year)	12/3/20	and this rec	ord is true to th	e best of my	knowledge and l	pelief.			
Kansas Water	r Well Contractor's Lice	ense No. 236	This water	er well record wa	as completed	d on (mo/day/yea	r) 12/7	7/2020		
under the business name of Harp Well and Pump Service by (signature) Todd S. Harb										