	\$	WATER WE	LL RECORD	Form WV	VC-5 KS	A 82a-121	2		
1 LOCATION OF WATER	R WELL:	FRACTION			TION NUMBER		HIP NUMBER RANGE NUMBER		
Sedgwick		NE 1/4		W 1/4	36	т 2'	7 S	R 2W	EW
Distance and direction from	•		f located within city?						
12901 W. Jew 2 WATER WELL O		hita, Kansas USMEVER (	CONSTRUCTI	ON					
RR#,ST. ADDRESS,		8 W. York	ONSTRUCTI	011			Board of Agric	culture, Division of Wat	er Resource
		ita, Kansas		z	IP CODE: 67	7215	Application Num	ber:	
3 LOCATE WELL'S LO	CATION 4	DEPTH OF COMPL	ETED WELL:	<b>85</b> ft.		ELEVATION:			
WITH AN "X" IN SEC	TION BOX:	oth of groundwater		ft			ft.		ft.
	WE	ELL'S STATIC WAT	TER LEVEL 25	FT. BELO	W LAND SU	RFACE MEASU	IRED ON mo/d	ay/yr: 1/20/2	21
NW	-NE	Purr	ip test data: We	ll water was		ft. after	hours	of pumping @	gpm
w Zije	1	Est. Yield:	91	ell water was		ft. after	hours	of pumping @	gpm
₹ w  X	, <b>, , , , , , , , , , , , , , , , , , </b>	ore Hole Diameter	12 in.	to	<b>86</b> ft.	and	in.	to na 11. <b>Inject</b> i	ft.
sw	1	ELL WATER TO BE . Domestic 3. F	: USED AS: Feedlot 5. Publi	ic water supply	7. Lawn a	nd garden only	⊳ <sup>9. Dewaterii</sup>	ng 11. mjecu 12. Other (Spe	
	1 1			eld water suppl			10. Monitorin	ng well	•
8			ological sample submitte	ed to Department?	YES	NO		what mo/day/yr wa	
5 705 05 040		bmitted				Vater Well Disinf			
5 TYPE OF CAS	ING USED: 3. RPM (SF	5. Wrought I	ron 7. Fiber	giass	ther (Specify	below) CAS	SING JOINTS: (		Threaded Clamped
2. PVC	> 4. ABS	6. Asbestos-	-Cement 8. Conc	rete tile SD	R-26			vvelueu	Jiampeu
Blank casing diamete	er 5	in. to 4	40 ft., Dia	ı. in.	to	ft.,	Dia.	in. to	ft.
Casing height above	land surface:	12 in.,	Weight	: <b>2.35</b>	lbs. / ft.	Wall th	ickness or gaug	je No. 214	
TYPE OF SCREEN C	R PERFORATION	I MATERIAL:							
1. Steel 3	. Stainless Steel	5. Fiberglass	7. PVC	9.7	ABS		her (specify)		
2. Brass 4	. Galvanized	6. Concrete Ti	le 8. RMP (	(SR) 10. <i>i</i>	Asbestos-Cer	nent 12. No	one used (open	hole)	
SCREEN OR PERFO								44 .	
1. Continuous slot	3. Mill si	ot 5. G	auzed wrapped	7. To	orch cut	9. Drill	led holes	11. None ( op	en noie)
2. Louvered shutte	r 4. Key p	unched 6. V	Vire wrapped	(8. S	aw cut	10. Oth	er (specify)		
SCREEN - PERFORA	TION INTERVAL	From	<b>40</b> ft.	to <b>86</b>	ft.,	From	ft.	to	ft.
		From	ft.	to	ft.,	From	ft.	to	ft.
GRAVEL PA	CK INTERVALS:	From	<b>24</b> ft.	to <b>86</b>	ft.,	From	ft.	to	ft.
		From	ft.	to	ft.,	From	ft.	to	ft.
6 GROUT MATERI	ALS: 1. Neat	cement	2. Cement Grout		3. Bentonite		Other bent	onite hole plu	<u> </u>
Grout Intervals:	From	ft. to	ft., F	rom ft	. to	ft.,	From 4	ft. to 2	<b>14</b> ft.
What is the nearest so	•	7	Pit privy	10. Livesto	ck pens	13. Insect	icide storage	15. Oil well/Ga	s well
9 Sauges Income 11 Find storage 44 About - manual 16. Other (spec								cify below)	
2. Sewer lines  3. Watertight sewe			Feed yard	12. Fertiliz	er storage				
Direction from well?	North	ge pit				How m	any feet? 30	ft. plus	
From To		LITHOLOGIC	LOG	From	То		LITHOLO	OGIC LOG	
0 3	topsoil								
3 20 20 32	clay							<del></del>	·
32 86	fine sand grev shale				+				
· · · · · · · · · · · · · · · · · · ·									
- 1					+	·			
							· · ·		
	ļ								
					+	<u> </u>			
					<u> </u>	<del>                                     </del>			
7 Contractor's or	Landowner's Certif	fication: This water	well was 1. const	ructed 2.	reconstructe	d or 3.	plugged	under my jurisdiction	on and
was completed on		1/20/2021		ecord is true to t				• • • • • •	
	Contractor's Licer			ater well record v	_	_		5/2021	
					•				
under the business	mane of Harp	Well and Pun	np service	by (	signature)	1	oaas	5. Harp	