KOLAR Document ID: 1573782

							Division of Water					
Original Record							urces App. N		Tournahin Mumb	Well ID	a a Mumbar	
1 LOCATION OF WATER WELL: County:			Fraction	1/4 1/4 1/4 1/4			ion Numbe	er			nge Number □E □W	
2 WELL OWNE	First:	/4	r Rur	ral Address where well is located (if unknown, distance and								
Business:		from nearest town or intersection): If at owner's address, check here:										
Address:												
Address:	g		ZID									
City: 3 LOCATE WELL	r	tate:	ZIP:									
WITH "X" IN							ft. 5 Latitude :(decimal degrees)					
SECTION BOX	Depth(s) Grou								e:			
N 2) ft. 3) ft., or 4) \square									WGS 84 NAI		VAD 27	
WELL'S STATIC WATER LEVEL:below land surface, measured on (mo-day-yr									Latitude/Longitude:		,	
below land surface, measured on (mo-day-y-									unit make/model:			
NW NE -	Pump test data: Well water was ft.						····· (WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map					
w H	gpm	Online Mapper:										
SW SE	vater was ft.											
X	s pumping gpm				6 Elevation :ft. ☐ Ground Level ☐ TOC							
Estimated Yield: S Bore Hole Diameter:			gpm in. to ft. and				Source: Land Survey GPS Topographic Map					
1 mile	in. to ft.				Other							
7 WELL WATER TO BE USED AS:												
1. Domestic:			iter Supply	well ID			10. □ O	il Fie	eld Water Supply: le	ase		
☐ Household	<u> </u>											
Lawn & Garde	echarge: well ID				☐ Cased ☐ Uncased ☐ Geotechnical							
	Livestock 8. Monitoring: well ID						•					
2. ☐ Irrigation3. ☐ Feedlot							a) Closed Loop					
4. Industrial Recovery Injection						1						
4.												
Water well disinfected? \square Yes \square No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)												
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
	☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)											
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole) SCREEN-PERFORATED INTERVALS: From												
	GRAVEL PACK INTERVALS: From											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
Grout Intervals: Fro	m ft. to		ft., From	1	ft. to		ft., From					
	ossible contamination											
☐ Septic Tank		iteral Line		Pit Privy			Livestock Pe			cide Storage		
☐ Sewer Lines							Fuel Storage			oned Water		
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify) □ Oil Well/Gas Well												
Direction from well? Distance from well?												
10 FROM TO		THOLOG			FRO		TO		HO. LOG (cont.) or		G INTERVALS	
					_							
					Notes							
	110000											
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged												
under my jurisdicti	on and was complet l Contractor's Licen	ted on (m	no-day-ye	ear)		and t	his record	is trı	ie to the best of my	y knowled	ge and belief.	
Kansas Water Wel	Contractor's Licen	ise No		This W	ater Wel	Reco	ord was con	mple	eted on (mo-day-ye	ear)	,	
unuer the business	name of	WATER W	ELL OWN	ER and retain	n one for vo	ır reco	rds Fee of \$4	5 00 4	or each constructed we	<u> </u>		
KS Department of H	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.											
	v.kdheks.gov/waterwell/i			,				•			SA 82a-1212	