KOLAR Document ID: 1579823

WATER WELL R	ECORD Correction		WWC-5 ge in Well Use		vision of Wate ources App. N			Well ID			
	LOCATION OF WATER WELL:						Township Numbe		ge Number		
County:			1/4 1/4 1/4		1/4 T S R C						
					Street or Rural Address where well is located (if unknown, distance and lirection from nearest town or intersection): If at owner's address, check here:						
City:		State:	ZIP:								
3 LOCATE WELL WITH "X" IN	f	ft. 5 Latitude :(decimal degrees)									
SECTION BOX:	Depth(s) Gr			Longitude:(decimal degrees)							
Ν	2) WELL'S ST		Dry Well	Datum: 🗌 WGS 84 🔲 NAD 83 🔲 NAD 27							
					Source for Latitude/Longitude:						
NW NE			yr)		(WAAS enabled? \Box Yes \Box No)						
	Pump test d				□ Land Survey □ Topographic Map						
W X E	anci	after hours pumping gpm Well water was ft.				Online Mapper:					
SW SE		hours	gpm	6 Flove	ation	· ft	Ground				
	Estimated Y Bore Hole I		ft and		6 Elevation:ft. □ Ground Level □ TOC Source: □ Land Survey □ GPS □ Topographic Map						
1 mile	Dore Hole I	Bore Hole Diameter: in. to ft. a in. to ft.									
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 											
1. Domestic:											
Lawn & Garden					□ Cased □ Uncased □ Geotechnical						
Livestock					12. Geothermal: how many bores?						
2. ☐ Irrigation 3. ☐ Feedlot		vironment	D		a) Closed Loop						
4. Industrial		□ Air Sparge □ Soil Vapor Extraction □ Recovery □ Injection					13. Other (specify):				
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
Steel Steinless Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)											
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From											
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From											
Nearest source of possible contamination: No potential source of contamination within 200 ft. Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage											
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well											
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)											
Direction from well? ft.											
10 FROM TO	Ι	ITHOLO	GIC LOG	FROM	TO	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS		
					T						
<u>├</u> ───┤											
				Notes:	<u> </u>	<u> </u>					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged											
under my jurisdiction and was completed on (mo-day-year)											
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo-day-year) under the business name of											
	Send one copy to	WATER W	ELL OWNER and retain	one for your rec	ords. Fee of \$5	5.00 fc	or each constructed wel	11.			
	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										