KOLAR Document ID: 1585460

WATER V		ECORD Correction		WWC-5 e in Well Use		ivision of W sources App			Well ID		
1 LOCATIO			-	Fraction		ection Nun		Township Numb		ge Number	
County: $\frac{1}{4}$					×4 1/4	$\begin{array}{c c} T & S & R & \Box E & \Box W \end{array}$					
2 WELL OWNER: Last Name: First: S Business: Address: d: Address: Address: d:						Street or Rural Address where well is located (if unknown, distance and lirection from nearest town or intersection): If at owner's address, check here:					
City:			State:	ZIP:							
3 LOCATE WITH "X"				IPLETED WELL:							
SECTION	BOX:	Depth(s) Gro	ft.	— · · · · · · · · · · · · · ·							
Ν		WELL'S ST									
		below land surface, measured on (mo-day-yr)					GPS (unit make/model:)				
X NW	- NE		above land surface, measured on (mo-day-yr)				(WAAS enabled? ☐ Yes ☐ No)				
		Pump test data: Well water was ft. after hours pumping gpm					□ Land Survey □ Topographic Map □ Online Mapper:				
W	E	alter	Well water was ft.] Onlır	ne Mapper:			
SW	- SE	after	after hours pumping gp								
		Estimated Y	A 1	6 Elevation:ft. □ Ground Level □ TOC Source: □ Land Survey □ GPS □ Topographic Map							
S	e	Bore Hole D									
Image:											
1. Domestic:			ter Supply: well ID								
Househol											
			 7. ☐ Aquifer Recharge: well ID 8. ☐ Monitoring: well ID 				☐ Cased ☐ Uncased ☐ Geotechnical 12. Geothermal: how many bores?				
2. Irrigation							a) Closed Loop \square Horizontal \square Vertical				
3. 🗌 Feedlot 🗌 Air Sparge			e 🗌 Soil Vapor	Extraction b) Open			Loop 🗌 Surface Discharge 📋 Inj. of Water				
4. Industrial Recovery Injection 13. Other (specify):											
Was a chemical/bacteriological sample submitted to KDHE? Water wall disinfected?											
Water well disinfected? □ Yes □ No 8 TYPE OF CASING USED: □ Steel □ PVC □ Other CASING JOINTS: □ Glued □ Clamped □ Welded □ Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter ft., Diameter ft., Diameter											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole)											
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: Image: Comparison of the sector of											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)											
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft. to ft. o ft. o ft. to ft.											
Grout Intervals: From											
Nearest source	e of possibl	e contaminatio	on: No	potential source of co	ontamination v	vithin 200 ft					
□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage											
	Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well										
\Box Other (Specify)											
				Distance from v						<u> </u>	
10 FROM	TO	L	ITHOLOG	JIC LOG	FROM	ТО	LĽ	THO. LOG (cont.) or	PLUGGIN	<u>GINTERVALS</u>	
										<u> </u>	
							_				
<u>├</u> ───┤──					Notes:						
<u>├</u>											
11 CONTRA	ACTOR'S	OR LANDO	WNER'S	S CERTIFICATIO	N: This wa	ter well wa	s 🗋 c	onstructed, \Box reco	nstructed,	or plugged	
under my juri Kansas Water	sdiction ar	tractor's Lice	eted on (n	no-day-year) 	an Zater Well P	d this recoi	d is tr	teted on (moday ye	y knowledg	ge and belief.	
under the busi	iness name	e of								·····	
		Send one copy to	WATER W	ELL OWNER and retair	n one for your r	cords. Fee of	f \$5.00	for each constructed we	11.		
	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										