KOLAR Document ID: 1575113

WATER WELL RE		WWC-5 ge in Well Use		ision of Water ources App. No.		Well ID	
1 LOCATION OF WAT		Fraction		tion Number	Township Numb		
County:	LER (TEEL)	1/4 1/4 1/4	1/4	tion i (amou	T S	R DE DW	
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and							
Business:		direction from	on from nearest town or intersection): If at owner's address, check here:				
Address: Address:							
City:	State:	ZIP:					
3 LOCATE WELL							
WITH "X" IN	WIN 4 DEPTH OF COMPLETED WELL:						
SECTION BOX:	Depth(s) Groundwater Encountered: 1)			Longitude:(decimal degrees)			
N .	WELL'S STATIC WATER LEVEL:			Datum: ☐ WGS 84 ☐ NAD 83 ☐ NAD 27 Source for Latitude/Longitude:			
	below land surface, measured on (mo-day-yr)					:)	
					(WAAS enabled? ☐ Yes ☐ No)		
	Pump test data: Well water was ft.			☐ Land Survey ☐ Topographic Map			
W E				☐ Onli	Online Mapper:		
SW SE	Well water was ft. after hours pumping gpr						
	Estimated Yield:gpm			6 Elevation:ft. ☐ Ground Level ☐ TOC			
S	Bore Hole Diameter: in. to f			Source: Land Survey GPS Topographic Map			
mile		in. to		☐ Other			
7 WELL WATER TO BE USED AS:							
1. Domestic: 5. ☐ Public Water Supply: well ID							
Household	<u> </u>			11. Test Hole: well ID			
Lawn & Garden	— 1 &			☐ Cased ☐ Uncased ☐ Geotechnical			
☐ Livestock 2. ☐ Irrigation	<u> </u>			12. Geothermal: how many bores?			
3. ☐ Feedlot				b) Open Loop Surface Discharge Inj. of Water			
4. ☐ Industrial	☐ Recovery						
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:							
Water well disinfected? ☐ Yes ☐ No							
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.							
Casing height above land surface in. Weightlbs./ft. Wall thickness or gauge No							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ PVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)							
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)							
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft., From ft.							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From							
Nearest source of possible contamination: No potential source of contamination within 200 ft. ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage							
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well							
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well							
Other (Specify)							
Direction from well?							
10 FROM TO	LITHOLO	GIC LOG	FROM	TO L	THO. LOG (cont.) or	PLUGGING INTERVALS	
			Notes:	_			
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo-day-year)							
Kansas Water Well Contractor's License No							
under the business name of							
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.							
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212							