KOLAR Document ID: 1633687

	WELL R			WWC-5		vision of Wate						
		Correction		ge in Well Use		ources App. N			Well ID			
			Fraction $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$				vnship Numb		ige Number			
County: 1/4 1/4												
						treet or Rural Address where well is located (if unknown, distance and rection from nearest town or intersection): If at owner's address, check here:						
Address:						nection nonn hearest town of intersection). If at owner's address, check here.						
Address:												
City:			State:	ZIP:								
3 LOCATE WELL WITH WY IN 4 DEPTH OF COMPLETED WELL:						5 Latit	ude [.]			(decimal degrees)		
	WITH "A" IN Donth(a) Croundwater E				Encountered: 1) ft.			5 Latitude:(decimal degrees) Longitude:(decimal degrees)				
					ft., or 4) \Box Dry Well			Datum: 🗌 WGS 84 🔲 NAD 83 🗌 NAD 27				
			WELL'S STATIC WATER LEVEL: ft. below land surface, measured on (mo-day-yr)				Source for Latitude/Longitude:					
)			
NW	NE		Dump test data: Well water was ft.				(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map					
w	Е	~	after hours pumping									
			Well water was ft.									
SW	SE		after hours pumping gpm				4	C.				
		Estimated Yield:gpm				6 Elevation:ft. □ Ground Level □ TOC Source: □ Land Survey □ GPS □ Topographic Map						
	S milo	Bore Hole L	Bore Hole Diameter: in. to ft. and				□ Other					
1 mile												
1. Domestic:				ater Supply: well ID			il Field W	ater Supply 4	ease			
	☐ Household											
Lawn d	Lawn & Garden			7. Aquifer Recharge: well ID				Uncased				
	Livestock 8. Monitoring: well ID				12. Geothermal: how many bores?							
	2. Irrigation 9. Environmental Remediation: we											
3.												
4. Industrial Recovery Injection 13. Other (specify):												
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
Water well disinfected? Yes No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter												
Casing diameter in. to it., Diameter in. to it., Diameter in. to it. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
$\Box \text{ Steel} \qquad \Box \text{ Stainless Steel} \qquad \Box \text{ PVC} \qquad \Box \text{ Other (Specify)} \dots$												
□ Brass □ Galvanized Steel □ None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)												
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.												
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft. to ft.												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
		e contaminati		potential source of con								
□ Septic			Lateral Line	es 🗌 Pit Privy		Livestock Pe	ens		cide Storage			
Sewer 2			Cess Pool	🗌 Sewage La		Fuel Storage			oned Water			
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well												
Direction from well? ft.												
10 FROM	TO		ITHOLO		FROM	ТО				G INTERVALS		
	-	-		-				(
					Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged												
under mv i	urisdiction ar	id was compl	eted on (n	no-day-year)	and	this record i	is true to	the best of m	y knowled	ge and belief.		
Kansas Wa	ter Well Con	tractor's Lice	ense No	This W	ater Well Red	cord was cor	mpleted o	on (mo-day-y	ear)			
	usiness name	e of		••••••••••••••••••••••••			••••••••••					
KS Departe				ELL OWNER and retain						785-296-3565		
-	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdbeks.gov/waterwell/index.html KSA 82a-1212.											