## KOLAR Document ID: 1635240

	WELL R			WWC-5		vision of Wat						
		Correction		e in Well Use	1	ources App.			Well ID			
1 LOCATION OF WATER WELL: Fraction					1 0				ge Number			
$\begin{array}{c c} County: & 1/4 & 1/4 \\ \hline & 1/4 & 1/4 \\$												
						treet or Rural Address where well is located (if unknown, distance and						
Business:	din Address:						rection from nearest town or intersection): If at owner's address, check here:					
Address:												
City:			State:	ZIP:								
3 LOCAT	E WELL	4.000					_					
4 DEPTH OF COMPLETED WELL:												
SECTIC	SECTION BOX: Depth(s) Groundwater Encountered: 1)											
1	N 2) ft. 3) ft., or 4)											
							Latitude/Longitude unit make/model:		`			
NW	NE			yr)			WAAS enabled?					
	NE	Pump test d					Survey		0)			
w	X E	-	hours				e Mapper:					
CW			Well water was ft.									
Sw	SE			s pumping	6 Flow	6 Elevation & Cound Loud TOC						
		Estimated Y				<b>6 Elevation</b> :ft. □ Ground Level □ TOC <u>Source</u> : □ Land Survey □ GPS □ Topographic Map						
	S	Bore Hole I	Bore Hole Diameter: in. to			<u>30010</u>	☐ Other					
	nile	DE LIGED		in. to	II.			Ouler	•••••			
7 WELL WATER TO BE USED AS:												
1. Domestic:       5. □ Public Water Supply: well ID         □ Household       6. □ Dewatering: how many wells?												
	□ Lawn & Garden											
	Livestock 2. Monitoring: well ID											
	2. $\Box$ Irrigation 9. Environmental Remediation: well ID					<ul><li>12. Geothermal: how many bores?</li><li>a) Closed Loop □ Horizontal □ Vertical</li></ul>						
3. $\Box$ Feedlo	E							Loop 🗌 Surface Di				
	4. Industrial Recovery Injection						13. Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE?  Yes  No If yes, date sample was submitted:												
Water well disinfected? Ves No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
$\Box \text{ Steel} \qquad \Box \text{ Stainless Steel} \qquad \Box \text{ PVC} \qquad \Box \text{ Other (Specify)} \dots$												
□ Brass □ Galvanized Steel □ None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)												
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.												
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft. to ft.												
9 GROUT MATERIAL:  Neat cement Cement grout Bentonite Other												
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.												
	rce of possibl			potential source of cont								
			Lateral Line			Livestock P			cide Storage			
Sewer			Cess Pool	☐ Sewage Lag ☐ Feedyard		Fuel Storage				wen		
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)												
Direction from well? ft.												
10 FROM	TO		ITHOLOG		FROM	ТО		HO. LOG (cont.) or		GINTERVALS		
	<u> </u>						1					
	<u> </u>											
							1					
							1					
							1					
					Notes:		1					
11 CONT	11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged											
under my j	urisdiction ar	nd was compl	eted on (n	no-day-year)	and	this record	is tru	ie to the best of m	y knowled	ge and belief.		
Kansas Wa	ter Well Con	tractor's Lice	ense No	This Wa	ter Well Red	cord was co	mple	ted on (mo-day-ye	ear)			
under the b	usiness name	<u>e of</u>				· · · · · · · · · · · · · · · · · · ·						
KS Donort				ELL OWNER and retain o						785-206 3565		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												