

County: Sedgwick Fraction: SW, NW, SW, SE Sec. 13 T. 27 S R. 2 W

**CORRECTION(S) to WATER WELL COMPLETION RECORD Form WWC-5 (to rectify lacking or incorrect information)**

Owner: H & H Homebuilders, Inc. L&G well

If location corrected, was listed as:

Location changed to:

Section-Township-Range: \_\_\_\_\_

\_\_\_\_\_

Fraction (1/4 calls): \_\_\_\_\_

\_\_\_\_\_

Other changes: Initial statements: Water well contractor failed to list address of well location.

Changed to: 809 N. Firefly Court, Wichita, KS 67235

Comments: \_\_\_\_\_

Verification method: WW Contractor notified KDHE and provided the location information for well at

Lat. 37.69574 deg, and -97.48956 deg.

Initials: PKC Date: 3/8/2022

Submitted by:  Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3724  
 Kansas Dept. of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367

WATER WELL RECORD Form WWC-5

Division of Water Resources App. No. [ ] Well ID [ ]

[X] Original Record [ ] Correction [ ] Change in Well

1 LOCATION OF WATER WELL: Use Fraction Section Number Township Number Range Number
County: Sedgwick SW 1/4 NW 1/4 SW 1/4 SE 1/4 13 T 27 S R 2 [ ] E [X] W

2 WELL OWNER: Last Name: First: Street or Rural Address where well is located
Business: H & H HOMEBUILDERS INC.
Address: 3530 N. Beach Club Circle
City: Wichita State: Kansas ZIP: 67205

3 LOCATE WELL WITH "X" IN SECTION BOX:
N
-- NW -- -- NE --
W | | E
-- SW -- -- SE --
S
|-----1 mile-----|

4 DEPTH OF COMPLETED WELL: 100 ft.
Depth(s) Groundwater Encountered: 1) ... ft.
2) ... ft. 3) ... ft., or 4) [ ] Dry Well
WELL'S STATIC WATER LEVEL: 25 ft.
[ ] below land surface, measured on (mo-day-yr) 01/25/22
[ ] above land surface, measured on (mo-day-yr)
Pump test data: Well water was ... ft.
after ... hours pumping ... gpm
Well water was ... ft.
after ... hours pumping ... gpm
Estimated Yield: ... gpm
Bore Hole Diameter: 12 in. to 100 ft. and ... in. to ... ft.

5 Latitude: 37.69574 (decimal degrees)
Longitude: -97.48956 (decimal degrees)
Horizontal Datum: [X] WGS 84 [ ] NAD 83 [ ] NAD 27
Source for Latitude/Longitude:
[ ] GPS (unit make/model: iPhone)
(WAAS enabled? [ ] Yes [ ] No)
[ ] Land Survey [ ] Topographic Map
[ ] Online Mapper:
6 Elevation: ... ft. [ ] Ground Level [ ] TOC
Source: [ ] Land Survey [X] GPS [ ] Topographic Map
[ ] Other

7 WELL WATER TO BE USED AS:
1. Domestic: [ ] Household [X] Lawn & Garden [ ] Livestock [ ] Irrigation [ ] Feedlot [ ] Industrial
2. Public Water Supply: well ID
3. Dewatering: how many wells?
4. Aquifer Recharge: well ID
5. Monitoring: well ID
6. Environmental Remediation: well ID
a) Air Sparge [ ] Soil Vapor Extraction
b) Recovery [ ] Injection
10. Oil Field Water Supply: lease
11. Test Hole: well ID
[ ] Cased [ ] Uncased [ ] Geotechnical
12. Geothermal: how many bores?
a) Closed Loop [ ] Horizontal [ ] Vertical
b) Open Loop [ ] Surface Discharge [ ] Inj. of Water
13. Other (specify):

Was a chemical/bacteriological sample submitted to KDHE? [ ] Yes [X] No If yes, date sample was submitted:
Water well disinfected? [X] Yes [ ] No

8 TYPE OF CASING USED: [ ] Steel [X] PVC [ ] Other CASING JOINTS: [X] Glued [ ] Clamped [ ] Welded [ ] Threaded
Casing diameter ... 5 in. to 100 ft., Diameter ... in. to ... ft., Diameter ... in. to ... ft.
Casing height above land surface ... 12 in. Weight .2, 35 lbs./ft. Wall thickness or gauge No. sDR-26
TYPE OF SCREEN OR PERFORATION MATERIAL:
[ ] Steel [ ] Stainless Steel [ ] Fiberglass [X] PVC [ ] Other (Specify)
[ ] Brass [ ] Galvanized Steel [ ] Concrete tile [ ] None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:
[ ] Continuous Slot [ ] Mill Slot [ ] Gauze Wrapped [ ] Torch Cut [ ] Drilled Holes [ ] Other (Specify)
[ ] Louvered Shutter [ ] Key Punched [ ] Wire Wrapped [X] Saw Cut [ ] None (Open Hole)
SCREEN-PERFORATED INTERVALS: From 80 ft. to 100 ft., From ... ft. to ... ft., From ... ft. to ... ft.
GRAVEL PACK INTERVALS: From 24 ft. to 100 ft., From ... ft. to ... ft., From ... ft. to ... ft.

9 GROUT MATERIAL: [ ] Neat cement [ ] Cement grout [X] Bentonite [ ] Other
Grout Intervals: From .4 ft. to .24 ft., From ... ft. to ... ft., From ... ft. to ... ft.
Nearest source of possible contamination:
[ ] Septic Tank [ ] Lateral Lines [ ] Pit Privy [ ] Livestock Pens [ ] Insecticide Storage
[ ] Sewer Lines [ ] Cess Pool [ ] Sewage Lagoon [ ] Fuel Storage [ ] Abandoned Water Well
[X] Watertight Sewer Lines [ ] Seepage Pit [ ] Feedyard [ ] Fertilizer Storage [ ] Oil Well/Gas Well
[ ] Other (Specify)
Direction from well? West Distance from well? 70 ft. plus

Table with 6 columns: 10 FROM, TO, LITHOLOGIC LOG, FROM, TO, LITHO. LOG (cont.) or PLUGGING INTERVALS. Rows include topsoil, clay, clay & sand mix, fine sand, medium sand.

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was [X] constructed, [ ] reconstructed, or [ ] plugged under my jurisdiction and was completed on (mo-day-year) 01/25/2022.. and this record is true to the best of my knowledge and belief.
Kansas Water Well Contractor's License No. ... 236... This Water Well Record was completed on (mo-day-year) 1/26/2022...
under the business name of ... Harp Well and Pump Service Signature Todd S. Harp