

OCATION OF WAT			-07.510	268 Secti		Ma Town blu 27 Bassa	2 E Fraction SE 14 NE 14/1 14	
			129			mner Sedgwick - KGSDR	The state of the s	
VATER WELL OWN		Elevation	129	WELL WAT		mner Sedgwick -KGSDR	NEAREST SOURCE OF POTENTIAL CONTAMINATION	
	N DEI	DEC		-	Garden	Source: Watertight sewer lines		
Name WYNDI DEEBES				Domestic Lawn/Garden COMPLETION			Distance Direction	
Business	14400 14170 4700				ON		from well: 105 from well: N	
Address 14400 W TAFT AVE WICHITA KS 67235			Depth of completed well: 140 ft. Depth(s) groundwater encountered:			Source description:		
✓ at owner's address			(1) 46	ft.; (2) ft.;	Source:		
			(3)	ft.; (4) 🗌 dry well	Distance Direction from well:		
			Static water level in well: 46 ft.			Source		
			✓ measured below land surface on (mm/dd/yy): 03/11/2022			description:		
Borehole interval: Borehole diameter:				measured above land surface on (mm/dd/yy):			☐ No potential source of contamination within 100 feet.	
from 0 to 140 ft. 12 in.			Estimated yield: 20 gpm			PERMIT & ID NUMBERS (AS REQUIRED)		
fromto	omtoftin.			Water level was: ft. after hours			DWR Application No.:	
Casing height above land surface: 16 in.				pumping gpm			KDHE / EPA Project Code:	
If casing height is less than 12 in.				Pump installed? ✓ Yes □ No			Site Name:	
has a variance been approved?* ☐ Yes ✔ No				W			KDHE UIC Class V Form Completed: ☐ Yes ☐ No	
*variance not required for monitoring or environmental remediation wells				Water well disinfected? ✓ Yes. No Date disinfected (mm/dd/yy): 03/11/2022			County Permit: Yes No Permit ID:	
Casing type: ThermalPlastic Blank casing interval: 0 ft. to 60 ft.				Date disinfected (mm/dd/yy): 03/11/2022			Lease Name & Well #:	
				Aquifer, if known:			# of boreholes: # of dewatering wells:	
Blank casing diameter: 5 in.			LITHOLOGIC LOG					
Casing joints: Glued			FROM	TO	LITHOLOGY INTERVALS			
Weight:	160 lb	s/ft.		0	3	tapsoil		
Wall thickness	or gauge	no.: 26				clay		
Blank casing interval: ft. to ft.			3	31				
Blank casing diameter: in.			31	140	shale_fractured			
Casing joints: Weight: lbs/ft.								
Weight: Wall thickness								
wan unexness								
Grout interval:	4 ft. t	o 24 ft. ntonite						
Grout materia	Personal and Advanced	and the second second						
Grout interval: ft. to ft. Grout material:				COMMENTS				
Grout materia	Maria de la composición dela composición de la composición de la composición de la composición de la composición dela composición de la composición de la composición dela composición dela composición de la composición dela composición de la composición dela composición dela composi	The state of the s						
Screen / perforation	on materia	al: PV	g					
Screen / perforation openings: Mill slot				CONTRACTOR'S OR LANDOWNERS CERTIFICATION				
Screen / perforation intervals:				This water well was constructed ✓ reconstructed □ pursuant to the stated water well				
From 60 ft. to 140 ft.				contract	or's lice	nse and was completed on	4/4/2022 . I certify that this record is true to	
Slot size unit				the best	the best of my knowledge and belief. This water well record was completed on 04/20/2022			
From ft. to ft.				under the business name of Chase Drilling				
Slot size unit				Kansas Water Well Contractor's License No. 611 under the authority of the designated				
Gravel pack intervals:				person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the				
Gravel pack not used: ☐ Gravel size in From 24 ft. to 140 ft.			designated person at its submittal: Rick Chase					
Gravel pack not used: Gravel size in			Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed we					
From	_ft.	***		Bureau	of Water, Geology Section, 1000 S	F HEALTH AND ENVIRONMENT W Jackson St., Suite 420, Topeka KS 66612-1367 C.S.A. 82a-1212 v2022c		