	WATER WE	LL RECORD	Form WWC-5	KSA 82a-	1212	
OCATION OF WATER WELL:			Section	on Number	Township Number	
HINTY: K1642 C	Fraction 1/4 X		W n	1	T 27 9	R 20 tm
tance and direction from nearest to	wn or city street addres		within city?			
12 7a/V	MILLION WILL	- /1 a	n 5			
WATER WELL OWNER:	rnon Da	LV15			Board of Agricul	ture, Division of Water Resources
#, St. Address, Box # :	M. 17.	NUILL	× 1/0-	n 5	Application Num	
y, State, ZIP Code :	<u> </u>					
OCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	Depth(s) Groundwater	Encountered 1.		ft. 2		. ft. 3. g
	WELL'S STATIC WAT	TER LEVEL 🖍	ゲ. シ ft. bel	ow land surf	face measured on mo/d	ay/yr 127.7.28.4
ا مل ا مل						rs pumping gpm
NW NE	Est. Yield	gpm: Well wate	r was	ft. af	ter hou	rs pumping gpm
	Bore Hole Diameter 2	53.4. in. to	. Y	ft., ε	and	in. to
W I I	WELL WATER TO BE	E USED AS:	5 Public water	supply	8 Air conditioning	11 Injection well
	Domestic	3 Feedlot	6 Oil field wate	r supply	9 Dewatering	12 Other (Specify below)
SW SE	2 Irrigation				0 Observation well	
	Was a chemical/bacte	riological sample s	submitted to Dep			if yes, mo/day/yr sample was sub-
S	mitted			Wat	ter Well Disinfected? Y	
TYPE OF BLANK CASING USED:	5 V	Vrought iron	8 Concret	e tile	CASING JOINTS:	Glued . X Clamped
1 Steel 3RMP (S	SR) 6 A	Asbestos-Cement	9 Other (s	specify below	v)	Welded
2 PVC 4 ABS		iberglass				Threaded
ink casing diameter	in. to 4	. ft., Dia	in. to .		ft., Dia	in. to ft.
sing height above land surface	24in.,	weight		Ibs./	ft. Wall thickness or gai	ige No.→ルガ.・スゟ
PE OF SCREEN OR PERFORATION		_	7_PVC		10 Asbestos	
1 Steel 3 Stainles		iberglass	(8 PMF	P (SR)	11 Other (sp	pecify)
	ized steel 6 C	Concrete tile	9 ABS	•	12 None use	ed (open hole)
REEN OR PERFORATION OPENII	NGS ARE:	5 Gauz	ed wrapped	_	8 Saw cut	11 None (open hole)
	Mill slot	6 Wire	wrapped		9 Drilled holes	7
	Key punched	7 Torch	cut		10 Other (specify)	
REEN-PERFORATED INTERVALS	: From 6. 4	? ft. to		ft., From	m	, ft. to
	From	ft. to	٠٠٠٠٠	ft., Fro	m	. ft. to
GRAVEL PACK INTERVALS	S: From					. ft. toft.
2.1. 1.1 == 1 1.3	From	ft. to		ft., Froi	m	ft. to ft.
GROUT MATERIAL: 1 Neat	cement 2 Co	ement grout	3 Benton	nite 4	Other	
		ft., From	ft. to	0	ft., From	ft. to
nat is the nearest source of possible					tock pens	14 Abandoned water well
	eral lines	7 Pit privy		11 Fuel	storage	15 Oil well/Gas well
•			on 12 Fertilizer storage16 Other (specify below) <			
3 Watertight sewer lines 6 Seepage pit 9 Feedyard			13 Insecticide storage Lasture			
rection from well?	Call	Q.		How ma		
ROM TO	LITHOLOGIC LOG		FROM	то	LITH	OLOGIC LOG
0 2 TOD	5011					The state of the s
2 9 5amo	n Clay				REAL	
9 18 BBC	1/44				CEIT	TEN
18 80 F1840	١ ا				-4	
	1 /				<u> </u>	
					JUL 0 9 19	35
				8	JUL 111 A-	
				EN	VINONMENTAL GE	ELD &
					WONNENTAL CL	CLD & V
					- 41	OLOGY
						<i>'</i>
						5
		This water well w	- Tibonotru	rtod (2) reco	opetructed or (3) plugg	ed under my jurisdiction and w
CONTRACTOR'S OR LANDOWN	ER'S CERTIFICATION:	inis water well v	vas (1) construc	and this row	orialiuciou, or (a) plugg and is true to the heet of	my knowledge and helief Kaneas
mproton on the name of the	∞ ~ /					my knowledge and belief. Kalisas
ater Well Contractor's License No.	V / / 1 19	This Water N	y .	s completed by (signa		Harriso
STRUCTIONS: Use typewriter or ba	Hayse Nal		nd PRINT clearly	uy (signa v. Please fill	in blanks, underline or o	ircle the correct answers. Send tor
ree copies to Kansas Department of	iii poilit peri, <u>FLEASE Pi</u> Health and Environment	Division of Enviro	nment. Environr	nental Geolo	gy Section, Topeka, KS	66620. Send one to WATER WELL
WNER and retain one for your reco	arde	,	,			