#13: ·

1 LOCATION OF WATER WELL: Fract COUNTY: 049 KIOWA SW	tion ; Section Number 1/4 SW 1/4 SW 1/4 1,23	: Township Mumber : Range Number : :T27 S : R20 N
Distance and direction from nearest 6 N. 1/2 W. OF NULLINVILLE, KS	town or city street address of well if locate	d within city?
2 WATER WELL OWNER; SLEN HALL RR#, St. Address, Box # : P.O. BOX		Agriculture, Division of Water Resources
City, State, 71P code : MULLINVIL	LE, KS 67109- Applicat	tion Number:
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL 99 ELEVA Depth(s) Groundwater Encountered	
	WELL'S STATIC WATER LEVEL 60 ft. below Pump testdata: Well water was	
	Estimated Yield gpm: Well water was	ft. after hours pumping gpm
	Bore Hole Diameter 8.75 in. to	99 ft., and in. to ft.
	WELL WATER TO BE USED AS: 01 DONESTIC	
	Was a chemical/bacteriological sample sub If yes, mo/day/yr sample was submitted	mitted to department? No ; Water well disinfected? Yes
5 TYPE OF BLANK CASING USED: 02 PVC Blank casing diameter 5 in Casing height above land surface TYPE OF SCREEN OR PERFORATION MATER SCREEN OR PERFORATION OPENINGS ARE:	. to 80 ft., Dia in. to ft., 12 in., weight lbs/ft. Wall thic IAL: 07 PVC	Dia in to ft. kness or gauge No. 26
SCREEN PERFORATED INTERVALS: GRAVEL PACK INTERVALS:	From 79 ft. to 99 ft., From ft From ft. to ft., From ft From 25 ft. to 99 ft., From ft From ft. to ft., From ft	. to ft.
i control than then the i	From ft. to ft., From ft	to ft.
6 GROUT MATERIAL OS BENTONITE	25 ft., From ft. to ft., F	
FROM TO 10 SILT & SAND 10 29 TAN CLAY 29 98 05 SAND AND 17 98 100 TAN CLAY		TO : PLUGGING INTERVALS

(7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed under my jurisdiction and was completed on (mc/day/year) 11/19/93 and this record is true to the best of my knowledge and belief. Kansas: Water Well Contractor's License No. 224 This Water Well Record was completed on (mc/day/yr) C1/27/9; under the business name of CARL HAYSE WATER WELL SVC by (signature)