

1 LOCATION OF WATER WELL: County: Kiowa Fraction: NW 1/4 SE 1/4 SE 1/4 Section Number: 31 Township Number: T 27 S Range Number: R 20 EW

Distance and direction from nearest town or city street address of well if located within city?
4 N 4 W Millerville Kansas

2 WATER WELL OWNER: Pleasant Valley Ranch Board of Agriculture, Division of Water Resources
 RR#, St. Address, Box #: Millerville Kans Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

N			
	NW	NE	
	SW	SE	
S			

4 DEPTH OF COMPLETED WELL: 80 ft. ELEVATION: 52 ft. below land surface measured on 7-17-76
 Depth(s) Groundwater Encountered 1. 52 ft. 2. 52 ft. 3. 52 ft.
 WELL'S STATIC WATER LEVEL 52 ft. below land surface measured on 7-17-76
 Pump test data: Well water was 52 ft. after 1 hours pumping 3 gpm
 Est. Yield 1.0 gpm: Well water was 52 ft. after 1 hours pumping 3 gpm
 Bore Hole Diameter 8 3/4 in. to 80 ft., and 80 in. to 80 ft.
 WELL WATER TO BE USED AS:
 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) PASTURE
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well
 Was a chemical/bacteriological sample submitted to Department? Yes X No No; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes X No No

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped No
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded No
 7 Fiberglass Threaded No
 Blank casing diameter 5 in. to 60 ft., Dia 5 in. to 60 ft., Dia 5 in. to 60 ft., Dia 5 in. to 60 ft., Dia
 Casing height above land surface 12 in., weight 1.75 lbs./ft. Wall thickness or gauge No. SDR-26
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 7 PVC 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) PASTURE
 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify) PASTURE
 SCREEN-PERFORATED INTERVALS: From 60 ft. to 80 ft., From 60 ft. to 80 ft., From 60 ft. to 80 ft., From 60 ft. to 80 ft.
 GRAVEL PACK INTERVALS: From 45 ft. to 80 ft., From 45 ft. to 80 ft., From 45 ft. to 80 ft., From 45 ft. to 80 ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other No
 Grout Intervals: From 0 ft. to 10 ft., From 0 ft. to 10 ft., From 0 ft. to 10 ft., From 0 ft. to 10 ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) PASSING CATTLE
 13 Insecticide storage
 Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	3	Top Soil			
3	14	Sandy Clay			
14	21	BR. Clay			
21	35	Sand			
35	47	Clay			
47	80	GRAVEL			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7-17-76 and this record is true to the best of my knowledge and belief. Kansas
 Water Well Contractor's License No. 724 This Water Well Record was completed on (mo/day/yr) 7-17-81
 under the business name of Carl Hayes Water Well Serv. by (signature) Carl Hayes
 INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY T 27 R 20 EW SEC 31 NW 1/4 SE 1/4 SE 1/4