


1 LOCATION OF WATER WELL: County: Kiowa Fraction: N/C  $\frac{1}{4}$  NW  $\frac{1}{4}$  Section Number: 35 Township Number: T 27 S Range Number: R 20W **EW**

Distance and direction from nearest town or city street address of well if located within city?  
1/2 N of Mullinville, Kansas

2 WATER WELL OWNER: Henry Brenging Est. Eagle Drilling, Inc. Georgia #1  
 RR#, St. Address, Box #: Route 1 Box 8609 Board of Agriculture, Division of Water Resources  
 City, State, ZIP Code: Mullinville, Ks. 67109 Wichita, Kansas 67208 Application Number: None

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 

4 DEPTH OF COMPLETED WELL: 110 ft. ELEVATION: 110 ft.  
 Depth(s) Groundwater Encountered 1. 50 ft. 2. 50 ft. 3. 50 ft.  
 WELL'S STATIC WATER LEVEL 50 ft. below land surface measured on mo/day/yr 5/21/87  
 Pump test data: Well water was 60 gpm: Well water was 60 ft. after 60 hours pumping 60 gpm  
 Est. Yield 60 gpm: Well water was 60 ft. after 60 hours pumping 60 gpm  
 Bore Hole Diameter 8 in. to 110 ft., and 8 in. to 110 ft.  
 WELL WATER TO BE USED AS:  
 1 Domestic 6 Oil field water supply 8 Air conditioning 11 Injection well  
 2 Irrigation 3 Feedlot 9 Dewatering 12 Other (Specify below)  
 4 Industrial 7 Lawn and garden only 10 Observation well  
 Was a chemical/bacteriological sample submitted to Department? Yes No; if yes, mo/day/yr sample was submitted No  
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:  
 1 Steel 2 PVC 3 RMP (SR) 4 ABS 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass 8 Concrete tile 9 Other (specify below) CASING JOINTS: Glued Clamped Welded Threaded  
 Blank casing diameter 5 in. to 90 ft., Dia. 5 in. to 90 ft., Dia. 5 in. to 90 ft., Dia. 5 in. to 90 ft., Dia.  
 Casing height above land surface 12 in., weight 2.8 lbs./ft. Wall thickness or gauge No. Sch. 40  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel 2 Brass 3 Stainless steel 4 Galvanized steel 5 Fiberglass 6 Concrete tile 7 PVC 8 RMP (SR) 9 ABS 10 Asbestos-cement 11 Other (specify) 12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE:  
 1 Continuous slot 2 Louvered shutter 3 Mill slot 4 Key punched 5 Gauzed wrapped 6 Wire wrapped 7 Torch cut 8 Saw cut 9 Drilled holes 10 Other (specify) 11 None (open hole)  
 SCREEN-PERFORATED INTERVALS: From 90 ft. to 110 ft., From 90 ft. to 110 ft., From 90 ft. to 110 ft., From 90 ft. to 110 ft.  
 GRAVEL PACK INTERVALS: From 10 ft. to 110 ft., From 10 ft. to 110 ft., From 10 ft. to 110 ft., From 10 ft. to 110 ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  
 Grout intervals: From 0 ft. to 10 ft., From 0 ft. to 10 ft., From 0 ft. to 10 ft., From 0 ft. to 10 ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 4 Lateral lines 5 Cess pool 6 Seepage pit 7 Pit privy 8 Sewage lagoon 9 Feedyard 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)  
 Direction from well? South How many feet? 60

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	55	Clay			
55	110	Sand and Gravel			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5/21/87 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 186 This Water Well Record was completed on (mo/day/year) 6/14/87  
 under the business name of Kelly's Water Well Service by (signature) [Signature]  
 INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.