WATER WELL RECORD Form WWC-5 KSA 82a-1212	
LOCATION OF WATER WELL: Fraction Section Number Township Number Range	e Number
	21 s /w
Distance and direction from nearest town or city street address of well if located within city?	
From 154 & Ford-Spearville Road - 2 miles North and 4 miles East	
WATER WELL OWNER: Salwson Drilling Co. (Bolingen #2) (Powers)	
IR#, St. Address, Box # : Box 1409 Board of Agriculture, Division of	Water Resource
ity, State, ZIP Code : Great Bend, Kansas 67530 Application Number:	
LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL. 262. ft. ELEVATION: AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1. ft. 2. ft. 3.	
WELL'S STATIC WATER LEVEL 38 ft. below land surface measured on mo/day/yr . Sept.	7, 1982
Pump test data: Well water was ft. after hours pumping	
Est. Yield 85 gpm: Well water was ft. after hours pumping	gpm
Bore Hole Diameter 8 in. to 262 ft., and in. to in. to well WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection was	
The state of the s	
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Spe	
Was a chemical/bacteriological sample submitted to Department? YesNoXXXII yes, mo/day/yr	
S mitted Water Well Disinfected? Yes XXX N TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: GluedXXXC	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded	
2 PVC 4 ABS 7 Fiberglass	
Plank casing diameter	
asing height above land surface. 12 in., weight 200 psi lbs./ft. Wall thickness or gauge No. SD	7 21
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)	
· · · · · · · · · · · · · · · · · · ·	(open hole)
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	
CREEN-PERFORATED INTERVALS: From 200 ft. to 220 ft., From ft. to	
From240	
GRAVEL PACK INTERVALS: From12 ft. to	
From ft. to ft., From ft. to	ft
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other	
irout Intervals: FromQft. to12ft., Fromft. toft., Fromft. to	
that is the nearest source of possible contamination: none 10 Livestock pens 14 Abandoned v	vater well
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas	well
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specif	y below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage	
irection from well? How many feet?	
FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG	
0 15 Top soil & clay	
15 30 Clay & fine sand	
30 60 Fine sand, clay & thin rock layers	
60 75 Clay	
75 90 Clay & blue shale	
90 105 Blue shale	
105 120 Blue shale & clay	
120 135 Clay	
165 210 Clay & sand stone layers	
210 225 Clay & sand stone Rayers & clay	
225 240 Clay (2 ft.) & sand stone (very lose)	
240 255 Sand stone & rock	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my juris	diction and wa
mpleted on (mo/day/year) 9-7-52 and this record is true to the best of my knowledge an	d belief. Kansa
ater Well Contractor's License No 179	33
der the business name of Joe's Well Service, Inc. Cimarron, Ks. by (signature)	
STRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct an	
strictions, use typewriter of Dail Point Pen, <i>Flease Phess-Firmly</i> and <i>Phin i</i> cleafly. Please till in Dianks, underlike of circle the correct an	swers. Send to