


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Ford	Section number 17	Township number T 27 S	Range number R 22 E/W
2. Distance and direction from nearest town or city: 3 mi North, 1/2 mi west of Ford Street address of well location if in city:			3. Owner of well: Ford County Land & Cattle Co. R.R. or street: Ford, Ks. 67842 City, state, zip code:		
4. Locate with "X" in section below: N W E S 1 Mile Sketch map:  200 yd SW of pivot			6. Bore hole 380 in. Completion date 10-15-75 Well depth 264 ft.		
5. Type and color of material			7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
			8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
			9. Casing: Material Steel Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 44 lbs./ft. Dia. 16 in. to 380 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. .219" W		
			10. Screen: Manufacturer's name (Lakewood) Miller Gearhead & Pump Repair Type Millslot Dia. 16" Slot/gauze 1/8 Length 2" Set between 120 ft. and 160 ft. 300 ft. and 380 ft. Gravel pack? Yes Size range of material 1/4" 5/8"		
			11. Static water level: 48 ft. below land surface Date 10-15-75 mo./day/yr.		
			12. Pumping level below land surfaces: 48 ft. after no drop pumping 600 g.p.m. ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 2000 g.p.m.		
			13. Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>		
			14. Well head completion: <input type="checkbox"/> Pitless adapter 12 inches above grade		
			15. Well grouted? Yes With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.		
			16. Nearest source of possible contamination: NA ft. <input type="checkbox"/> Direction <input type="checkbox"/> Type <input type="checkbox"/> Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
17. Pump: <input type="checkbox"/> Not installed Manufacturer's name Worthington Model number S-12M-90 HP <input type="checkbox"/> Volts <input type="checkbox"/> Length of drop pipe 377 ft. capacity 900 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other					
18. Elevation:			19. Remarks: (Use a second sheet if needed)		
20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. High Plains Drilling & Supply, Inc 136 Business name 402 N 3rd, Garden City, Ks. License No. 1/4 1/4 1/4 Address Walter E. Shickman Date 10/17/75 Signed Secy. Treas. representative					