WATER WELL RECORD KSA 82a-1201-1215 FUCKLIN NW Kone

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

| DAA | | | | | | Topeka, Kansas 66620 | | | | | | | | |
|--|---|------------------|----------------|-------------|---|---|--------------------------|--------------------|--|--|----------|--|--|--|
| 3 1 - 0 - 5 - 12 | County | Fraction | | Section | number | Township number | Range number | | | | | | | |
| 1. Location of well: | Ford | NE 1/4 BE 1/4 SE | 1/4 | 26 | | | r 22 | :/w | | | | | | |
| l b miled NF of Form Kandad | | | | | ner of well: Calvin Fowler | | | | | | | | | |
| Construction of the Hills of th | | | | | r street: RR#1 state, zip code: Kord, Kansas 67.842 | | | | | | | | | |
| 4. Locate with "X" i | in section below: | iketch map: | G.1,7,3 | uic, zip | | 6. Bore hole dia. 5.7 in. | Completion date | 11 76 | | | | | | |
| N | *************************************** | ROAR | | | | Well depth 00 ft. | | | | | | | | |
| X Sept. Ta. | | | | c v* | | 7Cable tool X_ RotaryDrivenDugHollow rodJettedBoredReverse rotary 8. Use: X_DomesticPublic supplyIndustryIrrigationAir conditioningStockLawnOil field waterOther 9. Casing: MaterialHeight: Above or belowInches orInches orInchesInche | | | | | | | | |
| | | | | | | | | | sw se | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| 5. Type and color of material | | | | From | То | | | | Diain. toft. depth gage No. $0.2 \cdot 20$ | | | | | |
| ~ | | | | | | | | | Jess and Low | | <u> </u> | | | |
| Surf | | | * | 0 | 3 | Type RMP Slot/gauze 1/16 | Dia. 5 1 n | | | | | | | |
| Sandy brown clay | | | | 3 | 24 | Set between 35 | ft, and 65 | _ ft. | | | | | | |
| Brown clay with traces of tan | | | 24 | 3 0 | Gravel pack OS Size ran | nd 4: _ / | 3 "· | | | | | | | |
| sand rock | | | | | 11. Static water level: 34 ft. below land surf | ace Date 10-11- | 46 | | | | | | | |
| Tan sand rock with 30% clay | | | 30 | 1 49 | 12 Pumping level below land | surfaces: 20 | | | | | | | | |
| T.i ch | t brown sand st | one and fine | gar | 749 | 61 | ft. after h | s. pumping g.r | | | | | | | |
| Light brown sand stone and fine sand Red bed and gray shale | | | | 61 | 75 | Estimated maximum yield | 9.1 | o.m. | | | | | | |
| neq | bed and gray sn | are | gaf | - 01 | 199 | 13. Water sample submitted: YesX_ No D | mo./day Pate | /yr. | | | | | | |
| | we will work account a conjugation | | bs3 | | | 14. Well head completion: | 0 | | | | | | | |
| | . y u | BRUCK 35 | . W | | | X Pitless adapter 15. Well grouted? yes | 2 Inches above grad | | | | | | | |
| | vd I.A | vi 100 44 | 1 1881 | | | With: X Neat cement | Bentonite Conc | rete _ NO | | | | | | |
| W. W. W. State of the same of | | | | | | Depth: From 4 ft. to | 4 ft. | $\dashv N$ | | | | | | |
| ALT ALL MY SEALS. AND | | | | | - | 16. Negrest source of possible ft. Direction 21 | The Type sept | <u>ic</u> tanl | | | | | | |
| | | 2.inst | रहार भी | ļ | | Well disinfected upon complet 17. Pump: | ion? X Yes | - No | | | | | | |
| in CX | | | | | | Manufacturer's name Re | da | 20 20 | | | | | | |
| O . ϵ | | | | | | Model number 0018P1 Length of drop pipe 54 | - ft. capacity 2 g.p | .m. Sm | | | | | | |
| ** | | | | | | Туре: | , , , | , | | | | | | |
| | | | | | | X Submersible Jet | Turbine Reciprocation | 2 1 0 | | | | | | |
| (Use a second sheet if needed) | | | | | | Centrifugal | Other | | | | | | | |
| 18. Elevation: | 19. Remarks: | | | | | 20. Water well contractor's control of the control | | ** | | | | | | |
| T | | | | | | is true to the best of my knowl | edge and belief. | l | | | | | | |
| Topography: _X_ Hili | | | , | | | Hodde Drilli | C + L License | _ ' ' ' | | | | | | |
| Slope | | 740 | ن ا | | | Address RR 1 Dodg | e City, Ka | 12 X | | | | | | |
| Upland Valley | 1010 | 7 | 5 | | | Signed Authorized repri | Date O- | 15 1 N | | | | | | |