## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

19 1442 145 14				Тор	peka, Kansas 66620
1. Lacoption of Well	Fraction Westside		number	Township number Range number	
To Bear Port	Westside  1/4 NE 1/4 NW 1/	NW 1/4 29		T 27 5	R 22 Feed E/W
2. Distance and diserion from nearest flown or city: Street address of well location in city:	I ME NOTTH R.R. or			Ford County (Feedlot) Yard	
Markey or Million of Party	Fora   swy, stee, and steel		Ford Ks. 67842  6. Bore hole dia. 16. in. Completion date		
4. Locate with "X" in section below:  N	Sketch map:			Well depth 151 ft.	
x				7 Cable tool 🗶 Rotary Hollow rod Jetted	Driven Dug Bored Reverse rotary
W				8. Use: Domestic P	
SW SE				9. Casing: Material <u>stee</u> Height: Above or below Threaded Welded Surface12 in.	
5				RMP PVC	Weight_ <u>36.86</u> lbs./ft.
5. Type and color of material			То	Dia. 16 in. to 151ft. de Dia in. to ft. de	pth Wall Thickness: inches or oth lagge No. 219
5. Type and color or marerial		From	10	10. Screen: Manufacturer's	
gyp	¥		20	Lakewood Type Millslot	Dia,
gvo & sand		20	70	Slot/gauze 1/8 x 2 <sup>th</sup> Set between 68	
sand			140	Gravel pack? Size ro	andft.
clay			150	11. Static water level:	mo./day/yr.
shale		150		12. Pumping level below lan	
			!		hrs. pumping g.p.m.
	2 6	Loc. I		Estimated maximum yield — 13. Water sample submitted:	
Proposition and the second second second second	restricted the same and the space of the same of the s			Yes <b></b> No	Date
The second of th	The state of the s			14. Well head completion: Pitless adapter	12 Inches above grade
17: F5	A CONTRACTOR OF THE STATE OF TH	bod	<u> </u>	15. Well grouted? X	
1 × 9	and the second second	i sateM		With:Neat cement Depth: FromO ft. to	Bentonite <del></del> Concrete10 ft.
Secretary and the secretary of the secre		C sat VV		16. Nearest source of possib	le contamination: NA
who communicates to a communicate constitution as a communication of the second of the	4. Specimen angles from different contemps and includes a financial service and distribution of the contemps and the contemps	: 70		ft Direction Well disinfected upon compl	• • •
		Zinsmesh		17. Pump:  Manufacturer's name Wor	Not installed
				Model number 12I-5/1	HP Volts
				Length of drop pipe	L ft. capacity 540 g.p.m.
				Submersible	X Turbine
(Use a sec	ond sheet if needed)			Jet Centrifugal	Reciprocating Other
18. Elevation: 19. Remarks:				20. Water well contractor's This well was drilled under n	certification: ny jurisdiction and this report
pography:				is true to the best of my know	wledge and belief.
L Hill				Drilling & Supp Business name	License No.
Slope Upland		402 1	with 3	raddress Garden Cit	y, Ks. 67846
Valley				Signed Authorized rep	presentative Date